



Key:

- VP Vision Panel in door to conform with Doc M of Building Regulations 2000 also BS6206 1981, BS6262 1982 & where applicable to BS476 Part 22 1987.
- FD 305 30 Stop fire rated door to BS476 part 22 1982 fitted with intumescent seals & cold smoke seal. Fitted with a self closing device with a shutting force of 25-30 newtons.
- SC Fire door keep shut sign to BS5499 Part1: 2002
- NG Fire alarm call point to BS5839
- E Emergency lighting to BS5266 Part 1: 2005

- A Illuminated emergency exit sign to BS5499 Part 1: 2002
- A Fire exit signs to BS5499 Part1: 2002
- A Directional fire exit signs to BS5499 Part 1: 2002
- H Heat detector to BS5839 Part 1: 2002
- S Smoke detector to BS5839 Part 1: 2002
- A Fire alarm indicator panel installation to BS5839 Part 1,2 & 4

- Light switch mounted at 1000mm from floor to comply with DDA
- 1800mm twin fluorescent light fitting
- Bulkhead bayonet fitting
- Bulkhead fluorescent fitting
- Ceiling mounted lighting track
- Feature pendant light fitting

- Wall mounted Double data outlet at Skirting/high level
- Wall mounted aerial point at high level
- Wall mounted 13amp Double socket outlet Skirting / 1100mm / high level socket
- Wall mounted 13amp Fused spur outlet Skirting / 1100mm / high level socket

## basement

## ground floor

# 9-10 st anne's sq

# buxton



**estilofit**  
creating environments

we conceptualise and realise fit out and refurbishment including interior design, space planning and furniture

ARCHITECTURE • SPACE PLANNING  
INTERIOR DESIGN • FURNITURE  
ELECTRICAL AND DATA  
MECHANICAL AND PLUMBING  
BESPOKE JOINERY • FLOORING  
RENOVATIONS • VENTILATION

estilofit interiors limited, one cock 38 st annes road, buxton  
staffordshire, ST2 4JL. Tel: 01753 850200 Fax: 01753 850203  
info@estilofit.co.uk www.estilofit.co.uk