
#### PROPOSED ELEVATION (ONE) 1:20



THE GLORE LIGHTING INDICATED TO THE TOP OF EACH CORNER POST IS FOR ILLUSTRATIVE PURPOSES ONLY - DOROTHEA RESTORATION LTD ARE TO SUPPLY DESIGN DETAILS UNDER SEPARATE COVER.

REMOVED FROM SITE AND FULLY RESTORED OFF SITE
BY DOROTHEA RESTORATION LTD. THE UNITS ARE TO BE BLASTED CLEAN TO SWEDISH STANDARD SA2.5

AND PRIME COATED FOR PAINTING.

ALL BENT PARTS ARE TO BE MADE GOOD AND


STRAIGHTENED. AND. STEEL FIXING POINTS ARE TO BE

CHECKED: PATE: JULY 2010 DVAVA

HPK/2010 / 0 28 1


28 JUL 2010

PROPOSE



#### PROPOSED ELEVATION (TWO) 1:20

NB: THE LOWER PANEL TO THIS ELEVATION IS TO BE ENSCRIBED WITH A THIRD OF THE NAMES AS LISTED IN THE ATTACHED LIST FROM THE PARISH CHURCH WW2 RECORDS. THE LISTS ARE TO FOLLOW THE ALPHABETICAL FORMAT THAT THE OTHER WORDING FOLLOWS AROUND THE MEMORIAL. ALL WORDING IS TO BE ENSCRIBED TO A SIZE A TEXT CHARACTER TO MATCH EXISTING



THE GLOBE LIGHTING INDICATED TO THE TOP OF EACH CORNER POST IS FOR ILLUSTRATIVE PURPOSES ONLY - DOROTHEA RESTORATION LTD ARE TO SUPPLY design details under separate cover.

EACH CLOBE IS TO BE 300mm DIAM AND WILL SIT WITHIN A MILD STEEL FRAME THAT IS TO BE FINISHED IN A MID SHEEN BLACK TO MATCH THE REST OF THE

FACH WROUGHT IRON CORNER POST IS TO BE REMOVED FROM SITE AND FULLY RESTORED OFF SITE BY DOROTHEA RESTORATION LTD. THE UNITS ARE TO BE BLASTED CLEAN TO SWEDISH STANDARD SA2.5
AND PRIME COATED FOR PAINTING.
ALL BENT PARTS ARE TO BE MADE GOOD AND
STRAIGHTENED, 4NO, STEEL FIXING POINTS ARE TO BE MADE TO TAKE EACH GLOBE UNIT, EACH UNIT IS TO THEN BE FINISHED IN HIGH QUALITY MID SHEEN


FOLLOWING COMPLETION THE POSTS ARE TO BE RETURNED TO SITE AND REFIXED IN THEIR EXACT POSITIONS USING CHEMICAL FIX ANCHOR BOLTS TO

PLEASE REFER TO THE LISTED BUILDING ALTERATIONS AND DESIGN ACCESS STATEMENT FOR THE DETAILS OF THE REFURBISHMENT OF THE STONEWORK TO THE

EACH BASE STONE PANEL IS TO CARRY THE NAMES OF THOSE THAT FELL IN WORLD WAR TWO AND THESE NAMES HAVE BEEN TAKEN FROM RECORDS IN THE CHAPEL PARISH CHURCH. EACH NAME WILL BE ENSCRIBED OF THE THE PANEL HAVE AND THE STOREWORK FINISHED SO AS TO HIGHLIGHT EACH NAME IN BLACK AS PER THE REST OF THE MEMORIAL

HPK/2010 / 0 28 1 CALASTOS SETE DEALELARD 20 JUL 2010 P型馬 ETR KIMI! PROPOSE

> CHECKED: OATE: JULY 2010



HAPEL EN LE FRITH, WAR MEMORIAL

## PROPOSED ELEVATION (THREE) 1:20 THE CLOBE LIGHTING INDICATED TO THE TOP OF EACH CORNER POST IS FOR ILLUSTRATIVE PURPOSES ONLY - DOROTHEA RESTORATION LTD ARE TO SUPPLY DESIGN DETAILS UNDER SCHRAME COMED.

96

DESIGN DETAILS UNDER SEPARATE COVER.


EACH GLOBE IS TO BE 300mm DIAM AND WILL SIT WITHIN A MILD STEEL FRANE THAT IS TO BE FINISHED IN A MID SHEEN BLACK TO MATCH THE REST OF THE

EACH WROUGHT IRON CORNER POST IS TO BE REMOVED FROM SITE AND FULLY RESTORED OFF SITE BY DOROTHEA RESTORATION LTD. THE UNITS ARE TO BE BLASTED CLEAN TO SWEDISH STANDARD SA2.5 AND PRIME COATED FOR PAINTING. ALL BENT PARTS ARE TO BE MADE GOOD AND STRAIGHTENED, 4NO, STEEL FIXING POINTS ARE TO BE MADE TO TAKE EACH GLOBE UNIT, EACH UNIT IS TO THEN BE FINISHED IN HIGH QUALITY MID SHEEN BLACK PAINT AND RETURNED TO SITE,

FOLLOWING COMPLETION THE POSTS ARE TO BE RETURNED TO SITE AND REFIXED IN THEIR EXACT POSITIONS USING CHEMICAL FIX ANCHOR BOLTS TO THE REFURBISHED STONE BASES.

PLEASE REFER TO THE LISTED BUILDING ALTERATIONS AND DESIGN ACCESS STATEMENT FOR THE DETAILS OF THE REFURDISHMENT OF THE STONEWORK TO THE

EACH BASE STONE PANEL IS TO CARRY THE NAMES OF THOSE THAT FELL IN WORLD WAR TWO AND THESE NAMES HAVE BEEN TAKEN FROM RECORDS IN THE CHAPEL PARISH CHURCH, EACH NAME WILL BE ENSCRIBED WITHIN THE PANEL AND THE STONEWORK FINISHED SO AS TO HIGHLIGHT EACH NAME IN BLACK



CHAPEL EN LE FRITH, WAR MEMORIAL

HPK/2010/0281 PARAMODISTRUMENTO BASES TO CAST OF MANA ELL **GEVERTING** 28 JUL 2010 PULN CHA MENTAL MEDITALISM PROPOSEI EMORIAL


MEMORIAL

5


HEIGHT

**APPROX** 

CHECKED 1:20 DATE: JULY 2010



#### PROPOSED ELEVATION (FOUR) 1:20



THE GLOBE LIGHTING INDICATED TO THE TOP OF EACH CORNER POST IS FOR ILLUSTRATIVE PURPOSES ONLY - DOROTHEA RESTORATION LTD ARE TO SUPPLY DESIGN DETAILS UNDER SEPARATE COVER.

EACH CLOBE IS TO BE 300mm DAM AND WILL SIT WITHIN A MILD STEEL FRAME THAT IS TO BE FINISHED IN A MID SHEEN BLACK TO MATCH THE REST OF THE POSTS

EACH WROUGHT IRON CORNER POST IS TO BE REMOVED FROM SITE AND FULLY RESTORED OFF SITE BY DOROTHEA RESTORATION LTD. THE UNITS ARE TO BE BLASTED CLEAN TO SWEDISH STANDARD SA2.5 AND PRIME COATED FOR PAINTING. ALL BENT PARTS ARE TO BE MADE GOOD AND STRAIGHTENED. 4NO. STEEL FIXING POINTS ARE TO BE MADE TO TAKE EACH GLOBE UNIT. EACH UNIT IS TO THEN BE FINISHED IN HIGH QUALITY MID SHEEN BLACK PAINT AND RETURNED TO SITE.

FOLLOWING COMPLETION THE POSTS ARE TO BE RETURNED TO SITE AND REFIXED IN THEIR EXACT POSITIONS USING CHEMICAL FIX ANCHOR BOLTS TO THE REFURBISHED STONE BASES.

PLEASE REFER TO THE LISTED BUILDING ALTERATIONS AND DESIGN ACCESS STATEMENT FOR THE DETAILS OF THE REFURBISHMENT OF THE STONEWORK TO THE MONUMENT ITSELF.


EACH BASE STONE PANEL IS TO CARRY THE NAMES OF THOSE THAT FELL IN WORLD WAR TWO AND THESE NAMES HAVE BEEN TAKEN FROM RECORDS IN THE CHAPEL PARISH CHURCH, EACH NAME WILL BE ENSCRIBED WITHIN THE PANEL AND THE STONEWORK FINISHED SO AS TO HIGHLIGHT EACH NAME IN BLACK AS PER THE REST OF THE MEMORIAL

HPK/2010 / 0.281

28 JUL 2010

28 JUL 2010


	1:20	CHECKED:
DATE:	JULY 2010	OKAVN:



PROPOSED 04

### CHAPEL EN LE FRITH, WAR MEMORIAL

# PROPOSED SITE PLAN 1:100




EACH ORNATE CORNER POST IS ASSUMED TO CARRY A GAS FEED WITHIN ITS FRAME - THIS APPEARS TO BE EVIDENT AS THE TOP LOOKS AS THOUGH IT WAS AN ORIGINAL GAS TAP TO FEED THE ORIGINAL GAS LATTERNS THAT PROBABLY SAT ON EACH POST. THE PROPOSAL IS TO USE THE ELECTRIC SERVICE THAT WOULD APPEAR TO BE WITHIN THE MARKET PLACE (IT CURRENTLY FEEDS THE CHRISTMAS TREE WHEN IT IS IN PLACE) AND UTILISE THE CENTRAL CORE FOR A NEW ELECTRIC SERVICE TO RUN WITHIN EACH REFURBISHED CORNER POST TO SUPPLY POWER TO THE PROPOSED ELECTRIC LIGHTING ON TOP OF EACH POST.

WHERE WORKS ARE REQUIRED UNDER GROUND TO THE ELECTRIC SUPPLY, EACH STONE FLAG IS TO BE CAREFULLY REMOVED TO ALLOW EXCAVATION FOR THE FEED AND WHEN WORKS ARE COMPLETED THE FLAGS ARE TO BE RE SET IN THEIR ORIGINAL POSITION.

NB; ALL ELECTRICAL WORKS ARE TO BE UNDERTAKEN BY HIGH PEAK BOROUGH COUNCIL APPROVED ELECTRICIAN USING THE PUBLIC TOILETS ELECTRICAL SUPPLY

CHAPEL EN LE FRITH, WAR MEMORIAL

1:100 CHECKED:
DATE: JULY 2010 DRAWN:



PROPOSED 05