HPK/2012/0159
26 MAR 2012

UNIT SPEC :- UPVC FRAMES ARTISAN SYNSEAL CHARTWELL GREEN 49246
IN & OUT
ALL WALL FRAMES GLASS TO BE TOUGHENED 'A' RATED
ALL ROOF GLASS TO BE CLIMATE CONTROL SUPER PLUS + PILK ACTIVE NEUTRAL TINT
HANDLES TO BE SATIN SILVER



PROPOSED REAR ELEVATION



PROPOSED PART SIDE ELEVATIONS



PROPOSED PART GROUND FLOOR PLAN

150 DEEP x 75 MM TIMBER LINER FIXED INT WITH UPVC & EXT WITH LEAD TO SET BOX GUTTER BEYOND STONE SLATE OVERHANG TO BE UNDERTAKEN B/ MASON

CUSTOMER TO INCREASE WIDTH TO 1500MM & FIT NEW LINTEL & DOORS TO OPENING

RWP POSITION TO FEED TO EXIST RWP



ALL EXTERNAL DIMS RELATE TO PROPOSED WALL DIMS & NOT PROJECTING STONE CILLS

ALL NEW BASE CONST. TO BE UNDERTAKEN B/ CLIENT.

NEW DOOR POCKET STONE LEVEL TO MATCH THE EXISTING HOUSE FLOOR LEVEL

NEW UNIT DWARF WALL HEIGHT TO TOP OF STONE CILLS TO BE 780MM MEASURED UP FROM DOOR POCKET STONE LEVEL

ANY ELECTRICS PLASTERING & W/BOARDS TO BE UNDERTAKEN B/ CLIENT

DRG. OLL 002
SHT 2 OF 2