HPK/2012/0677
30 NOV 2012

Notes:

WCs to connect to SVP via 100mm diameter uPVC waste and Multikwik pan connector

WHBs to connect to SVP via 32mm diameter uPVC waste and anti-vac trap.

Showers to connect to SVP via 38mm diameter uPVC waste.

Bath to connect to SVP via 38mm diameter uPVC waste.
If more than one fitting is connected to the same waste, use 50mm.



First Floor Plan as Proposed (1:50)

Notes:

01. Internal dimensions taken from face of studs, not finished plaster.

02. External dimensions indicate structural opening size.

© Copyright 2012 Price Dinsdale Associates Ltd.

File: c:\drawings\ridd\ridd10.drw

Rev	Date	Initials	Description
E	17 July 2012	A D L	Bathroom partitions moved D103 moved
D	03 July 2012	A D L	Sundry amendments.
C	11 Nov. 2011	A D L	Sundry amendments.
B	04 Aug. 2011	A D L	Column D5 removed.
A	28 July 2011	A D L	Drainage added.

PDA GROUP
PRICE DINSDALE ASSOCIATES LIMITED
8, The Quadrant, Buxton
Derbyshire SK17 6AW
Tel. Buxton (01 298) 26 234

Client

Mr A Riddington

Job Title

Dwelling to Rear of
24, Macclesfield Road,
Buxton, Derbyshire

Drawing Title

First Floor Plan as Proposed

Scale

1 : 50

Job No	Drawing No	Rev.
0809	11	E