


Section A–A (1:20)






North East Elevation (1:50)



North West Elevation (1:50)



South East Elevation (1:50)

Notes:

01. 1000mm wide doorset to match adjacent
02. Ground levels adjacent to door to be adjusted to give level entry.
03. 100mm diameter uPVC SVP, terminating 600mm above finished roof level. Allow for 'lead slate' and collar flashing through new roof, and durable wire cage.
04. Code 4 lead abutment flashings dressed over soaker sheets, all detailed in accordance with the Lead Development Agency publication 'Lead Sheet in Buildings'. Abutment flashings to be wall chased into existing masonry, and secured with lead wedges, and pointed up with two-part polysulphide mastic.

Materials:

Masonry: random limestone to match existing.

Lintels &c: sawn natural stone to match existing.

Roof: secondhand blue slate to match existing.

Joinery: gloss painted hardwood to match existing.

PEAK PARK
17 SEP 2013

© Copyright 2013 Price Dinsdale Associates Ltd.

File: c:\drawings\poole\bcahc2.drw

Rev	Date	Initials	Description

PDA GROUP
PRICE DINSDALE ASSOCIATES LIMITED
8, The Quadrant, Buxton
Derbyshire SK17 6AW
Tel. Buxton (01 298) 26 234

Client

Buxton Civic Association

Job Title

Provision of Disabled WC,
Pooles's Cavern, Green Lane,
Buxton

Drawing Title

Section A–A and Elevations as Proposed

PRELIMINARY

Scale
1:20 & 1:50

Job No	Drawing No	Rev.
1303	02	