



SPECIFICATION

BUILDING SIZE: 4.2MX4.2M
STRUCTURAL CEILING HEIGHT: 2.177M
ROOF PITCH: MONO PITCH

ROOF CONSTRUCTION:
PERMANENT ROOFING MEMBRANE - RAL 7040
ON 15MM T&G OSB OVER TR3.1 50MM RIGID
INSULATION FIXED TO STEEL C SECTION ROOF
PANEL WITH CEILING JOISTS AT APPROX 600MM
CENTRES WITH 50MM ROCKWOOL INSULATION LAID
BETWEEN.

CEILING FINISH:
LINED INTERNALLY WITH WHITE 15MM VINYL FACED
MEGADECO C/W STANDARD WHITE TWO PART PLASTIC
KNOCK IN SECTIONS.

CORNICE:
WHITE PLASTIC (INTERLUK) TYPE CORNISE

RAINWATER GOODS:
50MM BACKFLUSH DOWN PIPE, DRAINAGE SOCK,
OUTLET C/W LEAF GUARD TO SUIT. ALL JOINTS AND
CONNECTIONS TO BE SOLICITANT WELDED

FLOOR CONSTRUCTION:
15MM T&G FLOORING GRADE PLYWOOD OVER STEEL FABRICATED FLOOR FRAME
WITH FLOOR JOISTS AT APPROX 400MM CENTRES 2 LAYERS OF FOLITHERM
INSULATION LAID BETWEEN JOISTS.

EXTERNAL WALLS:
18-20MM LARGE TIMBER CLADDING FIXED TO TANALISED 25X50MM TIMBER
BATTENS ON 1 LAYER OF BREATHABLE MEMBRANE (B952250) OVER 11MM OSB
BOARD
FIXED TO STEEL C SECTION WALL PANELS WITH STUD UPRIGHTS AT APPROX
600MM CENTRES WITH 70MM ROCKWOOL INSULATION PACKED BETWEEN.

WALL INTERNAL FINISH:
LINED INTERNALLY WITH CREAM 15MM VINYL FACED PLASTERBOARD C/W CREAM
STANDARD KNOCK IN SECTIONS AND 15MM OVER 5MM OSB BOARDS ON
THERMASHEET FIXED TO STEEL C SECTION WALL FRAME UPRIGHTS.

SKIRTING:
FITTED BY OTHERS

EXTERNAL ENTRANCE DOORS:
ALUMINIUM DOORSET WITH FIXED SIDE SCREENS AND AUTOMATIC SLIDING DOOR -
RAL 7044

FLOOR COVERING:
TRUCKETT VITON PLUS 2.0MM SHEET VINYL - COLOUR: 534 CHARCOAL
ALL JOINTS WELDED USING WELDKOD - COLOUR TO BE SUPPLIER MATCHED.

EXTERNAL TRIM COLOURS:
POWDER COATED - RAL 7040

Rev	By	Date	Description	CHKD
C2	TS	04.10.13	BORDER UPDATED TO A3 @ SCALE 150.	DB
C1	TS	04.10.13	CONSTRUCTION ISSUE.	DB



**PREMIER
INTERLINK**
WACO UK LTD

HEAD OFFICE
CATFOSS LANE, BRANDESBURTON, DRIFIELD
EAST YORKSHIRE YO25 8EJ
Telephone: (01984) 545000 Fax: (01984) 545001
email: sales@waco.co.uk Internet: www.waco.co.uk

Status: CONSTRUCTION ISSUE

Client: TIMPSON

Project: 4.2mx4.2m UNIT

Title: PROPOSED EXTERNAL ELEVATIONS

Scale (if A3)	Drawn	Date	Checked
1: 50	TS	25.11.13	DB
Drawing No.	12861-060		Rev C2