



- Notes :
- This drawing is to be read in conjunction with all relevant Architect's, Engineer's and specialists' drawings and specifications.
 - Do not scale from this drawing in either paper or digital form. Use written dimensions only. To check that this drawing has been printed to the intended scale this bar should be 50mm long @ A1 or 25mm long @ A3.
 - Health & Safety :**
All specific drawing notes are to be read in conjunction with the project "Information Pack" and "Site Rules".
 - Access hatch locations shown indicatively only. Contractors to allow for 6No 600x600 hatches and 4No 300x300 hatches in locations to be determined.
 - Existing joists to be retained where not shown being replaced.
 - All existing floor coverings removed. Floor recovered with 27mm thick combi plywood class 3 to BS636 (or similar approved) and maple boarding to architects specification.

TENDER ISSUE
NOT FOR CONSTRUCTION

Ver	Date	Drawn	Eng	Amendment
6	01.07.16	NW	SW	Note re stone plinths revised
5	27.06.16	NW	SW	Revised Issue
4	16.06.16	NW	SW	Access hatches moved. Extent of new joists extended
3	16.05.16	NW	SW	Drainage scheme added
2	24.12.15	NW	SW	Issued for Tender; sub floor information added
1	11.12.15	NW	SW	Issued for Information

THE OCTAGON
PAVILION GARDENS

GROUND FLOOR PLAN

Status
FOR INFORMATION
NOT FOR CONSTRUCTION

Drawn	nw	Eng	SW
Scales	1:100 at A1	1:200 at A3	
Drawing No	23765-02	Ver	6