

**From:** [Rhodes, Matthew](#)  
**To:** "emma arkelaos"  
**Cc:** [Planning \(HPBC\): Williamson, John](#)  
**Subject:** RE: Arkelaos wrens nest sk137aw - HPK/2016/0171 (DOC/2016/0071)  
**Date:** 01 June 2017 09:41:53

---

Dear Mrs Arkelaos

I can confirm that the submitted information is accepted. I draw your attention to the phase 2 contamination report submitted (Strata Surveys (ref: 15175) dated 20<sup>th</sup> September 2011) which details the remediation strategy for the site. This includes of a 600mm soil cover system for rear garden areas, the remediation strategy should be completed in full.

Its clear from the photographs that made ground has not been removed to natural clays, and therefore (with reference to my letter of 16<sup>th</sup> January 2013) a capillary break (crush layer) and geotextile are required to be incorporated into the clean cover system.

There are a number of live planning permissions for this site; I'm assuming the work is being undertaken under HPK/2016/0171. I can confirm that **condition 8 of the approval has been met and I will be recommending that it may be discharged.**

Regards

Matthew Rhodes  
Environmental Health Officer (Pollution Specialist)

High Peak Borough Council, Town Hall, Buxton, Derbyshire. SK17 6EL  
Staffordshire Moorlands District Council, Moorlands House, Stockwell Street, Leek, Staffordshire. ST13 6HQ  
☎ Tel: 01298 28400 (ext 4457)

📠 Mobile: 07976753809

@ E-mail: [Matthew.Rhodes@highpeak.gov.uk](mailto:Matthew.Rhodes@highpeak.gov.uk) [Matthew.Rhodes@staffsmoorlands.gov.uk](mailto:Matthew.Rhodes@staffsmoorlands.gov.uk)  
🌐 Website: [www.highpeak.gov.uk](http://www.highpeak.gov.uk) [www.staffsmoorlands.gov.uk](http://www.staffsmoorlands.gov.uk)



\*\*\*\*\*

---

**From:** emma arkelaos [<mailto:e.arkelaos@hotmail.co.uk>]  
**Sent:** 01 May 2017 20:25  
**To:** Rhodes, Matthew  
**Subject:** Arkelaos wrens nest sk137aw

Get [Outlook for Android](#)

---

Do you really need to print out this Email? Be green - keep it on the screen.

This transmission is intended for the named addressee(s) only and may contain sensitive, privileged or confidential material and should be handled accordingly. Unless you are the named addressee (or authorised to receive it for the addressee) you may not copy or use it, or

disclose it to anyone else. If you have received this transmission in error please notify the sender immediately. All GCSX traffic may be subject to recording and/or monitoring in accordance with relevant legislation.

If this has come to you in error, please notify the sender immediately and delete this email from your system. The Council may be required to disclose this email or any response to it under the Freedom of Information Act 2000.

---

Do you really need to print out this Email? Be green - keep it on the screen.

This transmission is intended for the named addressee(s) only and may contain sensitive, privileged or confidential material and should be handled accordingly. Unless you are the named addressee (or authorised to receive it for the addressee) you may not copy or use it, or disclose it to anyone else. If you have received this transmission in error please notify the sender immediately. All GCSX traffic may be subject to recording and/or monitoring in accordance with relevant legislation.

If this has come to you in error, please notify the sender immediately and delete this email from your system. The Council may be required to disclose this email or any response to it under the Freedom of Information Act 2000.