



NOTE:
FOR DETAILS OF
TRANS PENNINE
SEPARATE ENGI
TO BE CONSTR

- Extra heavy standard tree planting in grassed or planted areas. Tree pits to measure a minimum of 900mm x 900mm x 750mm deep, and at least 600mm wider than the root spread. To include single 1.6m timber stake, 600mm above ground, spacer and tie.
- Native hedge planting in double staggered rows.
- Proposed ornamental hedge planting, including 50mm depth no-fines bark mulch.
- Proposed ornamental shrub planting, including 50mm depth no-fines bark mulch.
- Areas of species-rich meadow seeding, using Emorsgate Mix EM2, or similar and approved.
- Areas of species-rich wetland grass seeding, such as Emorsgate Mix EGB, or similar and approved.
- Areas of existing groundcover, enhanced with native shade-tolerant plug plants.
- Native scrub planting at 1m centres, including tubular guards and stakes. Area covered in 30mm depth no-fines bark mulch.
- Existing woodland areas, to be protected and retained.

Revision B: Amendment to path in southern POS_V11_14.03.19
Revision A: Minor amendments to drawings
Revision 1: Initial design

PDP
Associates

Chris Adams
Applied in Westwood
Creative
017683 54270
info@pdpassociates.co.uk

Client
Barratt Manchester

Project
Bridge Mills, Tinnwhistle

Drawing title
Detailed landscape proposals
Sheet 2 of 3

Scale
1:250 @ A1

Drawn by
PDP

Date
Dec 2017

Drawing No.
c-1561-02 Revision B