

ORIGINAL BLINDMAKERS

DEANS

— LONDON 1894 —

DEANS SHOP BLIND



DEANS SHOP BLIND

Index

Deans – London’s Original Blindmakers Since 1894.....	5
Quality Design & Craftsmanship.....	7
The Original Classic Hand-crafted Awning	9
A Versatile & Stylish Solution.....	10
Specifications	
Overview	13
Housing	
Exterior Fitted	15
Recess Fitted & Roller Fitted	16
Arm	
Pivot Arm	18
Sliding Arm.....	19

Fixing

Fixing Overview	21
Classic Box	22
Roller Fitted	23
Pivot Arm Shoe Bracket	24
Sliding Arm Bracket	25

Options

Operation	27
Valance.....	29
Branding	30

Finishes

Fabric	32
Metalwork.....	33
Timber	34



Hamleys

EST. LONDON 1780

The Finest Toys in the World

Hamleys

EST. LONDON 1780

DEANS – LONDON’S ORIGINAL BLINDMAKERS SINCE 1894

Deans of Putney have a history that spans three centuries as the leading UK manufacturer and installer of blinds and awnings. The company was founded in London by a policeman’s son, Tom Dean, in 1894 and was later taken over by his brother John. John Dean started out making canvas bags, which were in great demand as water carriers by the British forces across the Victorian Empire, especially in South Africa during the Boer War.

Between the two world wars, Deans established a reputation across the UK as major blindmakers. Deans were also well known in football, with the then owner being chairman of local football club Fulham during their inter-war heyday.

Award winning manufacturers

Deans manufacture and install a wide range of awnings and blinds including patio awnings, commercial awnings, shop blinds, canopies and many other types of products from their 12,000 square foot factory in Wandsworth, south west London.

Deans has always been supportive of the blinds, shades and shutters industry and has been closely involved with the British Blinds and Shutters Association since its inception and are proud to have been a founder member of the Association in 1919.

Deans believe that its employees are key to their continued success and a National Training Award Commendation in 1991 was followed up in 1993 by Deans becoming one of the first UK companies to achieve the prestigious Investors In People standard confirming their commitment to quality and training. Since 1993, Deans have received that accolade a further six times.



FARROW & BALL



FARROW & BALL



DEANS SHOP BLIND

QUALITY DESIGN & CRAFTSMANSHIP

Deans Blinds & Awnings have been manufacturing, supplying and installing traditional Victorian shop blinds since 1894. Today we still manufacture our blinds in exactly the same way using traditional methods and skills, combined with the latest design technology. We have a huge range of products for all types of commercial clients such as shops, restaurants, pubs, bars, cafes, schools and offices. We also provide a wide range of solutions for our many residential customers – we may be 120 years old, but we still continue to innovate and improve the way in which we manufacture our awnings.

We have a talented and experienced design team who are skilled at working with or collaborating with architects, design teams, contractors or even working independently to produce an awning solution. We can provide sophisticated 3D-modelling on request, as well as supplying fabric samples. Deans also offer clients the opportunity to use our cutting-edge branding and pattern system.

Deans manufacturing team are second to none and are proud of maintaining Deans reputation for producing awnings of outstanding build quality. Our traditional Victorian Awnings are custom-made and hand-crafted in our factory, from building the timber box to sewing each individual fabric panel. There are a number of colour options and finishes for the timber and metalwork and the canvas can be matched to any RAL colour or utilise our branding and pattern system.



DEANS SHOP BLIND



THE ORIGINAL CLASSIC HAND-CRAFTED AWNING

The Deans Shop Blind has long been regarded as an elegant and timeless solution to complete any shopfront or fascia. Its beautifully hand-crafted features including a hardwood encasement, steel-forged arms and technical fabric covering give the awning a uniquely traditional yet robust feel, sought across the world for its design and quality. While maintaining a highly distinctive look, the awning is extremely customisable and has been used in a broad range of applications to achieve a striking aesthetic.

Manufactured from the quality materials

We pride ourselves on the craftsmanship during production of this awning; we believe only the finest quality materials can produce the finest quality awning. For this reason, we use a high grade hardwood timber to manufacture the boxes that our fabric is housed in. The hardwood is treated to offer maximum durability. The steel forged arms and bracketry are handcrafted to fit the exact curvature of an application, every element of the awning is bespoke, made to fit its surroundings in shape and colour.

Strong and resilient

With a wide range of timber stains, fabric colours and metal finishes available, the Deans Shop Blind offers endless possibilities to suit any application. The finishes also give the Deans Shop Blind greater resilience – metalwork is powder coated, timberwork is hand treated and the fabric is solution dyed and protected to maintain resistance throughout the life span of the awning and withstand the most demanding weather conditions.

A wide range of customised options

Each main element of the Deans Shop Blind is customisable. The hardwood box and lath can be stained or painted to a customers required specification, and metalwork can be matched to any RAL colour. There are also optional styling features such as valances in a number of designs and our branding options that use our state of the art process. With all those options, it is rare that two Deans Shop Blinds leave our workshop the same. There are also four types of operation, a Duo-Lux sprung operating system, a soft-gear full winding control, an ectro-smart automated control, plus a non-retractable fixed installation.

DEANS SHOP BLIND

A VERSATILE & STYLISH SOLUTION

The Deans Shop Blind is a great awning solution for all types of business. The timeless design means that it fits well in both classic and contemporary settings. This stylish awning has superb durability and provides great branding options to ensure your business has a professional and stylish fascia.

The Deans Shop Blind was the original shop awning that we began manufacturing all those decades ago. Its popularity has never waned and is still a much sought after solution for retailers, architects and interior design studios.




DEANS SHOP BLIND





SPECIFICATIONS

DEANS SHOP BLIND SPECIFICATIONS — OVERVIEW



Maximum width: 6.5m **Maximum projection:** 3m (subject to suitable fixing height)


HOUSING

est. 1971



DEANS SHOP BLIND SPECIFICATIONS – HOUSING

EXTERIOR FITTED CLASSIC BOX




Dimensions: 230mm x 210mm (d x h)

Width: Up to 6.5m.

Fixing positions: Approximately 100mm from the ends of the box and every 1000mm along the length

EXTERIOR FITTED CLASSIC FLAT TOP BOX




Dimensions: 230mm x 210mm (d x h)

Width: Up to 6.5m.

Fixing positions: Approximately 100mm from the ends of the box and every 1000mm along the length

DEANS SHOP BLIND SPECIFICATIONS – HOUSING

RECESS FITTED




Dimensions: 170mm x 170mm (d x h)

Width: Up to 6.5m. It is essential that the exact recess width is provided.

Fixing positions: Roller is secured at each end of recess, which should be finished with 50mm treated hardwood.

ROLLER FITTED



Dimensions: 121mm x 120mm (d x h)

Maximum width: Up to 6.5m.

Fixing positions: Roller is either face or top fixed.

A R M



DEANS SHOP BLIND SPECIFICATIONS – ARM


PIVOT ARM

Minimum head clearance: 2.1m


Projection: To determine the maximum projection

Box height – Head clearance. If a greater projection is required a sliding arm solution must be used (see page 19).


CROSS SECTION




FRONT FIXED SHOE BRACKET



SIDE FIXED SHOE BRACKET



FRONT ELEVATION




DEANS SHOP BLIND SPECIFICATIONS – ARM

SLIDING ARM


Minimum head clearance: 2.1m

Maximum projection: 3.0m


CROSS SECTION




FRONT FIXED SLIDING BRACKET



SIDE FIXED SLIDING BRACKET



FRONT ELEVATION




FIXING




DEANS SHOP BLIND SPECIFICATIONS — FIXING

OVERVIEW

FRONT ELEVATION - RETRACTED



FRONT ELEVATION - OPEN



Fixing Guide


- 1: CSK 12 x 63mm slotted screws. For a more heavy duty fixing use M8 bolts or M8 anchor bolts (chemfix if necessary).
- 2: CSK 12 x 50mm slotted screws only.
- 3: CSK 12 x 38mm slotted screws only.
- 4: M6 x 16mm or 25mm blackened hex bolt with double locking nuts.
- 5: See page 24.
- 6: M8 x 40mm blackened hex bolt with double locking nuts.
- 7: See page 22.
- 8: 30mm clout nails spaced as shown.
- 9: 8 x 30 CSK brass slotted screw with red plug.

DEANS SHOP BLIND SPECIFICATIONS — FIXING

CLASSIC BOX

Fixing position: Approximately 100mm from the ends of the box and every 1000mm along the length.

Please note: The information on this page is for guidance only, all projects will be evaluated after site visit.



TIMBER

Hardwood

Fixing: Coach screw

Size: M12 x 65mm


Depth: 50mm (min)

Softwood

Fixing: Coach screw

Size: M12 x 80mm

Depth: 75mm (min)




STEEL

Fixing: Hex bolt

Size: M12 x 20mm

Depth: 8mm (minimum)



CONCRETE/BRICKWORK

Fixing: Anchor bolt


Size: M12 x 100mm

Depth: 100mm (min)

MINIMUM
100MM
RESIN FIX

UP TO
100MM
CAVITY

CONCRETE/
BRICKWORK



STONE
50MM

FASCIA CLADDING

Fixing: Resin bolt /
studding M14

Size: M14 (studding
length subject to
application)


Depth: 250mm (min)

DEANS SHOP BLIND SPECIFICATIONS – FIXING

ROLLER FITTED

Fixing position: Either face or top fixed.

Please note: The information on this page is for guidance only, all projects will be evaluated after site visit.



TIMBER

Hardwood

Fixing: Coach screw

Size: M12 x 65mm


Depth: 50mm (min)

Softwood

Fixing: Coach screw

Size: M12 x 80mm

Depth: 75mm (min)




STEEL

Fixing: Hex bolt

Size: M12 x 20mm

Depth: 8mm (minimum)




CONCRETE/BRICKWORK

Fixing: Anchor bolt

Size: M12 x 100mm

Depth: 100mm (min)



FASCIA CLADDING

Fixing: Resin bolt /
studding M14

Size: M14 (studding length subject to application)


Depth: 250mm (min)

DEANS SHOP BLIND SPECIFICATIONS – FIXING

PIVOT ARM SHOE BRACKET

Fixing position: Either face or side fixed.

Please note: The information on this page is for guidance only, all projects will be evaluated after site visit.



TIMBER

Hardwood

Fixing: Coach screw

Size: M12 x 65mm


Depth: 50mm (min)

Softwood

Fixing: Coach screw

Size: M12 x 80mm

Depth: 75mm (min)




STEEL

Fixing: Hex bolt

Size: M12 x 20mm

Depth: 8mm (minimum)




CONCRETE/BRICKWORK

Fixing: Anchor bolt

Size: M12 x 100mm

Depth: 100mm (min)



FASCIA CLADDING

Fixing: Resin bolt / studding M14

Size: M14 (studding length subject to application)


Depth: 250mm (min)

DEANS SHOP BLIND SPECIFICATIONS – FIXING

SLIDING ARM BRACKET

Fixing position: Either face or side fixed.

Please note: The information on this page is for guidance only, all projects will be evaluated after site visit.



TIMBER

Hardwood

Fixing: Coach screw

Size: M12 x 65mm


Depth: 50mm (min)

Softwood

Fixing: Coach screw

Size: M12 x 80mm

Depth: 75mm (min)




STEEL

Fixing: Hex bolt

Size: M12 x 20mm

Depth: 8mm (minimum)



CONCRETE/BRICKWORK


Fixing: Anchor bolt

Size: M12 x 100mm

Depth: 100mm (min)

MINIMUM
100MM
RESIN FIX

CONCRETE/
BRICKWORK



FASCIA CLADDING

Fixing: Resin bolt /
studding M14

Size: M14 (studding
length subject to
application)

Depth: 250mm (min)


OPTIONS




DEANS SHOP BLIND SPECIFICATIONS – OPTIONS

OPERATION


MANUAL SPRUNG



MANUAL CRANK




NON-RETRACTABLE



DEANS SHOP BLIND SPECIFICATIONS – OPTIONS

OPERATION


ELECTRIC OPERATION




RTS AWNING MOTOR - INFORMATION

Category	Rating
Power supply	230 Volt AC
Current	1,5 Amps
Output	320 Watt
Protection class	IP 44
Max. operating time	Approx. 3 to 4 minutes

WIRING DIAGRAM – HIRSCHMANN PLUG



ELECTRICAL REQUIREMENTS




Please note: electrical pull of the awning motor is less than 3A.


DEANS SHOP BLIND SPECIFICATIONS – OPTIONS

VALANCE

FRONT ELEVATION



CROSS SECTION



VALANCE STYLES



STRAIGHT



TORRETED



CASTLE



WAVE



SCALLOPED

DEANS SHOP BLIND SPECIFICATIONS – OPTIONS

BRANDING


LOGO




TEXT



FULL PATTERN



GILDING









FINISHES




DEANS SHOP BLIND SPECIFICATIONS – FINISHES

FABRIC PLAIN

								
RKS-099 white	RKS-317 haya	RKS-122 seashell	RKS-117 raw	RKS-415 marble	RKS-217 ivory	RKS-220 argent	RKS-148 desert	RKS-115 cream
								
RKS-121 wheat	RKS-779 beige tweed	RKS-180 sand	RKS-145 tenerife	RKS-222 oak buff	RKS-133 cinnamon	RKS-126 linen	RKS-107 champagne	RKS-108 vanilla
								
RKS-113 cava	RKS-119 duna	RKS-100 beige	RKS-178 toast	RKS-139 heather beige	RKS-143 hemp beige	RKS-775 linen tweed	RKS-188 lemon	RKS-237 pineapple
								
RKS-239 yellow tweed	RKS-554 yellow	RKS-240 honey	RKS-149 corn	RKS-111 camel	RKS-158 ochre	RKS-101 mandarin	RKS-567 orange	RKS-185 pumpkin
								
RKS-106 Flamingo	RKS-241 Pheonix	RKS-105 salmon	RKS-176 red	RKS-182 vermillion	RKS-177 burgundy	RKS-104 chestnut	RKS-195 cacao	RKS-243 tapenade
								
RKS-244 dun	RKS-156 brown	RKS-181 coffee	RKS-165 mauve	RKS-110 lilly	RKS-171 turquoise	RKS-193 light blue	RKS-229 sapphire	RKS-169 steel blue
								
RKS-172 blue	RKS-232 denim	RKS-173 dark blue	RKS-236 jeans	RKS-170 admiral blue	RKS-199 atlantic blue	RKS-174 navy blue	RKS-175 captain navy	RKS-189 lime
								
RKS-160 pistachio	RKS-187 jade	RKS-162 khaki	RKS-142 emerald	RKS-163 green	RKS-248 hunter	RKS-102 forest green	RKS-114 pearl	RKS-197 lead tweed
								
RKS-112 graphite	RKS-186 silver	RKS-196 titanium	RKS-123 argenta grey	RKS-138 cadet grey	RKS-161 grey	RKS-224 dun grey	RKS-152 taupe	RKS-127 moonrock
								
RKS-194 ash	RKS-776 taupe tweed	RKS-198 nickel	RKS-774 smoke tweed	RKS-164 charcoal grey	RKS-770 charcoal tweed	RKS-150 dark grey	RKS-103 black	


DEANS SHOP BLIND SPECIFICATIONS – FINISHES

FABRIC STRIPED







OTHER COMBINATIONS OF COLOURS ALSO AVAILABLE

METALWORK*




DEANS SHOP BLIND SPECIFICATIONS – FINISHES

METALWORK* (CONT.)

										
6007	6009	6011	6013	6016	6017	6019	6025	6026	6027	7000
										
7001	7003	7006	7008	7010	7012	7016	7021	7023	7030	7031
										
7035	7036	7037	7039	7042	7047	8001	8007	8014	8016	8019
										
8023	8024	8025	8028	9001	9002	9003	9005	9010	9011	9016

TIMBER COLOUR*

										
black	warm grey	cream	burgundy	red	mauve	forest green	green	light blue	mid blue	dark blue

TIMBER STAINED

								
jacobean	light oak	teak	walnut	medium oak	clear	rosewood	antique pine	mahogany

* THIS IS A SELECTION OF THE MOST POPULAR COLOURS, PLEASE NOTE, WE ARE ABLE TO MATCH ANY RAL COLOUR.



SPAGHETTIHOUSE
cucina italiana + pizzeria

SPAGHETTI
HOUSE



cucina italiana + pizzeria

cucina italiana + pizzeria

ORIGINAL BLINDMAKERS

DEANS

— LONDON 1894 —

Deans Blinds and Awnings UK LTD
Unit 7, Kimpton Business Centre
Minden Road, Sutton
Surrey SM3 9PF

Tel: 020 8947 8931
Email: info@deansblinds.co.uk
Web: www.deansblinds.co.uk