
From: EHealth Consultation
Sent: 13 October 2022 16:37
To: Planning (HPBC)
Cc: Stannard, James
Subject: HPK/2022/0421 Environmental Health Consultation#

Categories:

Dear James

Application number	HPK/2022/0421	Application type	Full - MINOR
Site address	Health And Safety Executive, Harpur Hill Business Park, Harpur Hill, Buxton, Derbyshire, SK17 9JN	Proposal	New bespoke steel ISO container unit (12.2m x 2.6m x 2.7m) to be used to test the safety of commercially available detonators.

There isn't really enough information on the portal for me to comment. The principle potential issue that springs to mind is noise nuisance; however, the site is remote. A statement from the developer would be useful.

Regards

Environmental Health

High Peak Borough Council, Town Hall, Buxton, Derbyshire. SK17 6EL
Staffordshire Moorlands District Council, Moorlands House, Stockwell Street, Leek, Staffordshire. ST13 6HQ

Tel:
E-mail:
Website: www.highpeak.gov.uk www.staffsmoorlands.gov.uk



Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
