

From: planningcomments@highpeak.gov.uk
To: [Planning Comments \(HPBC\)](#)
Subject: Comment Received from Public Access
Date: 15 January 2023 20:29:30

Application Reference No. : DET/2022/0021

Site Address: PROPOSED TELECOMMUNICATIONS INSTALLATION Old Hall Square Hadfield Glossop
Derbyshire

Comments by: Christopher Cuff

From:

1

Bank Terrace, Old Hall Square
Hadfield
Glossop

SK131AZ

Phone:

Email:

Submission: Objection

Comments: The proposed installation is inappropriate within a conservation area when the cell search area would allow it to be sited outside the conservation area. It would have a negative visual impact on Old Hall Square and be highly visible to both Hadfield's residents and visitors, given the substantial traffic and pedestrian flow. It should be situated in a less busy and visible location outside the conservation area.

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
