



High Peak Borough Council

working for our community

Application for Approval of Details Reserved by Condition

Town and Country Planning Act 1990 (as amended); Planning (Listed Buildings and Conservation Areas) Act 1990 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location

Disclaimer: We can only make recommendations based on the answers given in the questions.

If you cannot provide a postcode, the description of site location must be completed. Please provide the most accurate site description you can, to help locate the site - for example "field to the North of the Post Office".

Number

Suffix

Property Name

Address Line 1

Address Line 2

Address Line 3

Town/city

Postcode

Description of site location must be completed if postcode is not known:

Easting (x)

Northing (y)

Description

RAILWAY BRIDGE BEJ42 Buxton Road Whaley Bridge Derbyshire

Applicant Details

Name/Company

Title

First name

Surname

Company Name

Address

Address line 1

Address line 2

Address line 3

Town/City

County

Country

Postcode

Are you an agent acting on behalf of the applicant?

☒ Yes

☐ No

Contact Details

Primary number

Secondary number

Fax number

Email address

Agent Details

Name/Company

Title

First name

Surname

Company Name

Address

Address line 1

Address line 2

Address line 3

Town/City

County

Country

Postcode

Contact Details

Primary number

***** REDACTED *****

Secondary number

Fax number

Email address

***** REDACTED *****

Description of the Proposal

Please provide a description of the approved development as shown on the decision letter

Listed Building Consent for a proposed partial reconstruction of railway bridge comprising replacement of load-bearing cast iron spans with Corten steel, and retention of non-load bearing span, with ancillary repairs and alterations

Reference number

HPK/2022/0342

Date of decision (date must be pre-application submission)

22/12/2022

Please state the condition number(s) to which this application relates

Condition number(s)

3

Has the development already started?

☐ Yes

☒ No

Part Discharge of Conditions

Are you seeking to discharge only part of a condition?

☐ Yes

☒ No

Discharge of Conditions

Please provide a full description and/or list of the materials/details that are being submitted for approval

It is proposed to use a 1 : 1/4 : 4 Cement / Lime / Sand with the addition of an approved air entraining agent to enhance frost resistance.

- Cement for mortar shall be Portland complying with BS 12.
- Lime shall be high calcium hydrated lime complying with BS EN 459-1.
- Sand shall comply with BS EN 1313 and shall be washed sand or natural crushed sand & shall not be of a marine source.

With regards to colour matching, we will use a natural pigment to achieve the same / similar colour as exists.

This information should be read in conjunction with the submitted document "73946c Report - Analysis of Mortar Sample".

Site Visit

Can the site be seen from a public road, public footpath, bridleway or other public land?

- ☒ Yes
☐ No

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?

- ☒ The agent
☐ The applicant
☐ Other person

Pre-application Advice

Has assistance or prior advice been sought from the local authority about this application?

- ☐ Yes
☒ No

Declaration

I / We hereby apply for Approval of details reserved by a condition (discharge) as described in this form and accompanying plans/drawings and additional information. I / We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine options of the persons giving them. I / We also accept that: Once submitted, this information will be transmitted to the Local Planning Authority and, once validated by them, be made available as part of a public register and on the authority's website; our system will automatically generate and send you emails in regard to the submission of this application.

☒ I / We agree to the outlined declaration

Signed

Michael Gradwell

Date

14/02/2023

Amendments Summary

Clarified that application relates to Condition 3 and not 4 as previously stated. Also added specific info on mortar mix.

