

From: planningcomments@highpeak.gov.uk
To: [Planning Comments \(HPBC\)](#)
Subject: Comment Received from Public Access
Date: 20 June 2023 16:21:30

Application Reference No. : HPK/2023/0189
Site Address: High Peak Halls Bridge Street Buxton Derbyshire SK17 6BB Buxton
Comments by: S Fletcher
From:

Berwick Road
Harpur Hill
Buxton

Phone:

Email:

Submission: Neither

Comments: I feel for genuine asylum seekers fleeing from war torn countries. However, the infra structure in Buxton is already inadequate for it's residents. We have to travel out of town to go to a general or specialist hospital, GP surgeries are struggling to recruit doctors and it is difficult to access an NHS dentist. Would the town be able to cater for close on 300 asylum seekers, and at what cost?

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
