


Mr Ben Haywood
Head of Development Services
High Peak Borough Council
Town Hall
Buxton
SK17 6EL



S Gogt View
New Mills
H.P. Peak
SK22 3LR

Date: 17/6/23

Dear Mr Haywood

Application No. HPK/2023/0193 – Construction and installation of an Energy Storage System (ESS) at Marsh Lane, Gowhole, New Mills Derbyshire, SK23 7QE

I would like to object to the above planning application.

The reasons I object are:

- By definition, this is “inappropriate” development in the Green Belt; “very special circumstances” have not been demonstrated.
- The proposals do not fall within any of the categories of acceptable development in the rural areas as set out in Policy EQ3 of the High Peak Local Plan and the overall effect on landscape character at the site and on adjacent land would be adverse, contrary to policy EQ2.
- There is an inherent risk to local residents and the environment from the consequences of thermal runaway, in conflict with the principles of sustainable development. (Google: “BESS fire Liverpool 15 September 2020”).
- Road access is inadequate to support construction of this development, increasing the danger and inconvenience to other highway users.
- Novus justifies this as a renewable energy project, yet this installation is not coupled to a solar or wind farm, and Novus has not provided any evidence that the proposals would specifically harness renewable energy for storage.
- There is no justification for these proposals at this location.

Yours sincerely,

.....
John Giles Emeli Glead