

From: planningcomments@highpeak.gov.uk
To: [Planning Comments \(HPBC\)](#)
Subject: Comment Received from Public Access
Date: 20 July 2023 21:03:11

Application Reference No. : HPK/2023/0189

Site Address: High Peak Halls Bridge Street Buxton Derbyshire SK17 6BB Buxton

Comments by: Henri Ramczyk

From:

8 Watford Road
SK17 6XF
Corbar Ward
Buxton
Derbyshire
SK17 6XF

Phone:

Email:

Submission: Objection

Comments: The infrastructure of the services for health and dentistry in Buxton are totally inadequate for the current population. Seeing a doctor is very difficult and the only certain way to see a dentist is to pay privately, so adding more people will exacerbate this situation.

This spare building would be put to much better use in providing low cost accommodation for local people and also a refuge for local homeless people.

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
