

From: [Planning Comments \(HPBC\)](#) Comment
To: Received from Public Access 25 July
Subject: 2023 14:35:44
Date:

Application Reference No. : HPK/2023/0189

Site Address: High Peak Halls Bridge Street Buxton Derbyshire SK17 6BB Buxton

Comments by: Jamie Wilton

From:

15

Heath Park Road

Buxton

Buxton

Derbyshire

Phone:

Email:

Submission: Objection

Comments: Buxton does not have the infrastructure to cope with an influx of people. It already takes weeks/ months to see a doctor. Similar with dentist appointments if your lucky enough to get one.

Nuserys and schools are already at full capacity.

The police are already can't cope with the crime in Buxton and adding more people will only make the situation worse. The police have already objected on the grounds it is not a suitable location

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
