
From: planningcomments@highpeak.gov.uk
Sent: 02 August 2023 15:17
To: Planning Comments (HPBC)
Subject: Comment Received from Public Access

Categories:

Application Reference No. : HPK/2023/0189 Site Address: High Peak Halls Bridge Street Buxton Derbyshire SK17 6BB
Buxton Comments by: Linda Highet

From:
22
Heath Park Road
Heath Park
Buxton
Derbyshire
Sk17 6nx

Phone:

Email:

Submission: Objection

Comments: My objections to this planning application are based on the lack of doctors, dentists, social services and other services. The demand for these services is already stretched to breaking point. I therefore beg the planning committee to reconsider this change of use. Also, why can't the university of Derby find a better use of this building which would be more beneficial to the Buxton community as a whole.

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
