

## ! Residual Risks !

These drawings should be read in conjunction with the designer's risk assessment (DRA) which communicates significant residual design risks that have been identified and suggests mitigating actions.

### Levels Legend

+187.72 Existing levels

+187.72 Proposed levels

### General Notes

1. All dimensions are in millimetres unless noted otherwise.
2. Setting out information to be coordinated by the lead designer. For setting out information refer to architect's drawings.
3. All works to be carried out in accordance with the specification for highways works and local authority guidance.
4. Underground services may be present in the area. Contractor is to confirm the precise line and depth of any services prior to the commencement of any excavation works.

## Planting

1. All planting is to Landscape Architect's details

## External works

1. Paving works shall be carried out in accordance with the Specification for Highway Works
2. Surplus material to be taken out to tip off site unless directed by DYSE to reuse within the site.
3. Unbound material (sub-base) to be spread in layers no greater than 150mm thick
4. No limestone aggregate to be permitted in any wearing courses whether permanent wearing course or temporary.
5. Sub-base and capping thickness requirements are dependant on in-situ CBR testing on the sub-grade.

|     |          |                                 |     |     |       |     |
|-----|----------|---------------------------------|-----|-----|-------|-----|
| 08  | 03/08/23 | Issued for Planning             | PG  | MS  | JDY   | JDY |
| 07  | 19/06/23 | Issued for Planning             | PG  | MS  | JDY   | JDY |
| 06  | 03/05/23 | Site Plan Updated               | PG  | MS  | JDY   | JDY |
| 05  | 21/03/23 | Site Plan Updated               | PG  | MS  | JDY   | JDY |
| 04  | 22/07/22 | Site Plan Updated               | PG  | MS  | JDY   | JDY |
| 03  | 15/06/22 | Issued for Tender               | PG  | MS  | JDY   | JDY |
| 02  | 10/06/22 | Retaining Wall Location Amended | PG  | MS  | JDY   | JDY |
| 01  | 16/05/22 | First Issue                     | PG  | MS  | JDY   | JDY |
| Rev | Date     | Description                     | Drw | Chk | Rev'd | App |

status:

## PLANNING

ent:

Derbyshire Fire &amp; Rescue Service

object


## Glossop Fire Station

Drawing:

## levels GA

Drawing Number

|                             |     |
|-----------------------------|-----|
| M21003-DYSE-XX-ZZ-DR-C-1021 | P08 |
|-----------------------------|-----|



○ A1 (594x841mm)

© Copyright DYSE Ltd 202