
From: Rhodes, Matthew
Sent: 10 November 2023 13:47
To: Planning Comments (HPBC)
Cc: Robinson, Rachel
Subject: DOC/2023/0067 - Environmental Health Consultation#

Categories:

Dear Planning

Application number	DOC/2023/0067	Application type	Discharge of conditions
Site address	Eastern Mill, Milltown, Glossop, Derbyshire,	Proposal	Discharge of conditions 12,14,15,18,23 and 38 relating to HPK/2022/0317

Advice to LPA

The above application for discharge of conditions from HPK/2022/0317 has been forwarded to Environmental Health for consideration and from an Environmental Health point of view, only condition 38 is a relevant condition.

Condition 38 – Piling options assessment

I can't find any documents on the portal relating to piling. If you forward anything on, I'll take a look.

Regards

Matthew Rhodes
Environmental Health Officer (Pollution and Environment)

High Peak Borough Council and Staffordshire Moorlands District Council

Mobile:

www.highpeak.gov.uk | Follow HPBC on [Twitter](#) | [Facebook](#)

www.staffsmoorlands.gov.uk | Follow SMDC on [Twitter](#) | [Facebook](#)



Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
