



OUTER FRAME




VS01 Outer Frame

CILLS




VS02 Cill




VS14 Extended Cill


SASHES



VS03 Small Sash




VS04 Standard Sash




VS05 Deep Bottom Rail


INTERLOCKS & STOP



VS09 Interlock



VSR9
Aluminium Interlock



VS10 Sash Stop

BEADS & ANCILLARIES



VS06 24mm
Square Bead




VS11 Small
Georgian Bar



VS13
Woodgrain
Trim



VS07 24mm
Ovolo Bead



VS12 Large
Georgian Bar





VS15
Woolpile
Infill

STANDARD CONFIGURATION (VERTICAL SECTION)

**TYPICAL VERTICAL
SLIDING WINDOW**

SPECIFICATION

Small Top Sash
Standard Bottom Sash
Deep Bottom Rail Sash
Co-extruded 24mm Glazing Bead
Standard Cill
Steel/Aluminium Reinforcing






STANDARD CONFIGURATION (HORIZONTAL SECTION)

**TYPICAL VERTICAL
SLIDING WINDOW**

SPECIFICATION

Small Top Sash
Standard Bottom Sash
Co-extruded 24mm Glazing Bead
Steel/Aluminium Reinforcing





HEAVY DUTY CONFIGURATION (VERTICAL SECTION)

**TYPICAL VERTICAL
SLIDING WINDOW**

SPECIFICATION

Standard Top Sash
Standard Bottom Sash
Deep Bottom Rail Sash
Co-extruded 24mm Glazing Bead
Standard Cill
Steel/Aluminium Reinforcing



HEAVY DUTY CONFIGURATION (HORIZONTAL SECTION)

**TYPICAL VERTICAL
SLIDING WINDOW**

SPECIFICATION

Standard Top Sash
Standard Bottom Sash
Co-extruded 24mm Glazing Bead
Steel/Aluminium Reinforcing

