

From: [Hannah Varley](#)
To: [Planning Comments \(HPBC\)](#)
Subject: FW: DOC/2024/0048 - Eastern Mill Milltown, Glossop - decision due 12/06/24
Date: 07 June 2024 14:27:58

From: Jo Crawshaw-Moore (Place) <>
Sent: Friday, June 7, 2024 2:26 PM
To: Hannah Varley <>
Subject: RE: DOC/2024/0048 - Eastern Mill Milltown, Glossop - decision due 12/06/24

Good afternoon Hannah,

Thank you for consulting the Lead Local Flood Authority (LLFA) in relation to the above planning application. None of the conditions in this consultation were set by the LLFA, therefore, we have no comment to make.

Kind regards,

Jo

Jo Crawshaw-Moore | Senior Technician
Flood Risk Management

Place | Derbyshire County Council
County Hall, Matlock, Derbyshire, DE4 3AG

T M

E _____

Visit us at www.derbyshire.gov.uk | Follow us on [Twitter](#) | Find us on [Facebook](#)

Do you really need to print out this Email? Be green - keep it on the screen.

This email is intended for the addressee(s) only and may contain sensitive, privileged or confidential information that could be protectively marked. If you are not the addressee please do not use the information in any way. If you have received this email in error please notify the sender immediately and delete it from your system. Thank you.

The Council may be required to disclose this email or any responses to it under the Freedom of Information Act 2000. The way in which we handle personal information is set out in our privacy notice and is available at <https://www.highpeak.gov.uk/YourData>
