Detail Ref 1

Proposed Elevation - Grove Parade Entrance - BC

Scale: 1 : 100

SCALE 1: 100 (1 0 1 2 3 4 5 m)

Detail Ref 2

Proposed Elevation - Rear - BC

Scale: 1 : 100

SCALE 1: 100 (1 0 1 2 3 4 5 m)

Elevation Key	
Note Number	Note Text
1	Existing Entrance Retained
2	Existing Dormer retained
3	Existing Pitched Roof retained
4	Existing Canopy Retained
5	Adjacent property beyond
6	Proposed render wall
7	Proposed flat roof & associated guttering
8	Proposed sash window w/stone head and lintol
9	Proposed curtain walling to new stair core
10	Proposed curtain walling w/high level opening to provide smoke vent
11	Proposed Pitched roof
13	Proposed window replacing existing door
14	Proposed window to replace existing - cill lowered
15	Proposed stone wall
16	Existing RWP
17	Proposed RWP
18	Proposed emergency light as specified elsewhere
19	Proposed kitchen vent

* NOTE: All existing windows (with the exception of those identified by the conservation officer for retention) and doors to be replaced to meet building regulation requirements for thermal/acoustic/fire standards/security.

Replacement fenestration design to match existing.

Notes

All dimensions are to be checked on site prior to construction, manufacture of any components and ordering of materials and equipment.

Any discrepancies are to be reported to the architect for clarification.

All materials and workmanship to be in accordance with the current British Standards and codes of practice.

ANSELL LIGHTING:
Lucca
Lucca CCT Multi Wattage Emergency Black
CODE: ALUCLED/B/M3

Emergency external lighting spec (Key no.18)
TOTAL: 2 ext lights - see Rear elevation for location: mounted @approx .2.2m TO U/S AFFL

GENERAL INFORMATION
Wattage 18W - 27W
Lumens Delivered 1300lm - 1900lm (4000K)
Lm/W 69lm/W - 71lm/W (4000K)
Beam Angle 105/110
CRI 80
CCT 3000/4000K
Input 220/240V
Operating Temp -20°C - 25°C
SDCM 5

TECHNICAL INFORMATION
Light Source LED
Colour / Finish Black
IP Rating IP66
Class Protection 1
Internal / External External
Surface / Recessed / Suspended Surface
Lumen Depreciation L70 B50 L70 B50 60,000h
Warranty (Years) 5
CE Mark Yes
Diameter 298 mm

Refer to Specification sheet for more details.



Detail Ref 3

Elevation Key - BC

Scale: 1 : 500

Rev	Date	Drawn By	Comments
A	07.09.23	SHD	For Information - Window & Door references added

Client
Owner

Project
Grove Hotel, Buxton

Drawing
Proposed Elevations - Sheet 1

Revision	Purpose
A	Planning

Drawing Number
C700

Job No.	Scale	Date
SHD/BX-GH-01	As indicated @ A1	September 2023

Suitability	Suitability
-	-

Drawn By
SHD

ah2

Still House design