

Site: Land adjacent to Brown Edge Road, Buxton
 Surveyed by: Hugh Williams
 Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP
 T: 01538 384019 E: info@treeheritage.co.uk



APPENDIX A: TREE SURVEY SCHEDULE

KEY:

Measurements	Life Stage	Physiological Condition	Category Grading	Symbols
Height - Metres Stem Diameter - Millimetres at 1.5m above ground level Branch Spread - Metres (North, South, East and West) Crown Clearance - Metres RPA Radius - Metres Estimated Remaining Contribution - Years FSB - First Significant Branch - Metres	Y - Young SM - Semi-Mature EM - Early Mature M - Mature OM - Over-Mature V - Veteran	G - Good F - Fair P - Poor D - Dead	A - High (green) B - Moderate (blue) C - Low (grey) U - Poor/Trees for removal (red) Sub-Categories: 1 - Mainly Arboricultural value 2 - Mainly Landscape value 3 - Mainly Cultural value	< - Less than ~ - Approximately > - Greater than
RPA - Root protection area (equivalent to a circle with a radius 12x the stem diameter measured at 1.5m above ground level)				

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T1	Salix caprea (Goat Willow)	6	200	3	4	4	4	1	1(E)	EM	Fair	Included bark present in fork. Minor deadwood in crown.	No work required.	10+	C1	2.4
T2	Prunus cerasifera 'Pissardii' (Purple Leaved Plum)	5	100	3	3	3	3	2	1.5(S)	SM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.2
T3	Sorbus aucuparia (Rowan)	5	100	3	3	3	3	2	2(N)	EM	Poor	Tree located within neighbouring land. Diameter estimated. Declining. Minor deadwood in crown.	No work required.	10+	C1	1.2
T4	Crataegus monogyna (Hawthorn)	2	100	1	1	1	1	0	0(E)	SM	Fair	Clipped Bush.	No work required.	10+	C1	1.2
T5	Ribes sanguineum (Flowering Currant)	1	20	1	1	1	1	0	0(E)	M	Fair	Stem divides at ground level.	No work required.	10+	C1	0.24
T6	Spirea douglasii (Spirea)	1.5	10	1	1	1	1	0	0(N)	M	Fair	Stem divides at ground level..	No work required.	10+	C1	0.26
T7	Prunus cerasifera (Cherry Plum)	6	150	3	3	3	3	2	2(S)	EM	Fair	Tree located within neighbouring land. Good condition. Minor deadwood in crown.	No work required.	10+	C1	1.8

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T8	Prunus padus (Bird Cherry)	5	150	3	3	3	3	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.8
T9	Prunus padus (Bird Cherry)	5	150	3	3	3	3	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.8
T10	Corylus avellana (Hazel)	5	150	3	3	3	3	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.8
T11	Acer pseudoplatanus (Sycamore)	16	450	8	8	8	8	3	3(E)	M	Good	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	40+	A1	5.4
T12	Quercus robur (Common Oak)	8	250	6	6	6	6	2	2(S)	SM	Good	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	3

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T13	Populus trichocarpa (Western Balsam Poplar)	10	300	3	3	3	3	3	2(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Ivy on stem. Minor deadwood in crown.	No work required.	10+	C1	3.6
T14	Populus trichocarpa (Western Balsam Poplar)	10	300	3	3	3	3	3	2(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Ivy on stem. Minor deadwood in crown.	No work required.	10+	C1	3.6
T15	Acer pseudoplatanus (Sycamore)	6	250	4	4	4	4	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	3
T16	Crataegus monogyna (Hawthorn)	4	100	2	2	2	2	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.2
T17	Crataegus monogyna (Hawthorn)	4	100	2	2	2	2	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	1.2

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T18	Sorbus aucuparia (Rowan)	6	250	4	4	4	4	1	1(S)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Low vitality. Minor deadwood in crown.	No work required.	10+	C1	3
T19	Fraxinus excelsior (Ash)	5	200	3	3	3	3	2	1(W)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Declining. Dieback in crown. Minor deadwood in crown. Presence of Chalara Dieback of Ash.	No work required.	10+	C1	2.4
T20	Populus serotina (Hybrid Black Poplar)	17	250	4	4	4	4	4	3(E)	EM	Fair	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	10+	C1	3
T21	Betula pendula (Silver Birch)	16	450,300	6	6	6	6	2	1(N)	M	Good	Tree located within neighbouring land. Diameter estimated. Included bark present in fork. Minor deadwood in crown.	No work required.	20+	B1	6.49

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
T22	Salix X chrysocoma (Weeping Willow)	11	350	7	7	7	7	1	3(S)	EM	Good	Tree located within neighbouring land. Diameter estimated. Minor deadwood in crown.	No work required.	20+	B1	4.2
T23	Spirea douglasii (Spirea)	1.5	10	1	1	1	1	0	0(N)	M	Fair	Stem divides at ground level..	No work required.	10+	C1	0.26
T24	Salix cinerea (Grey Willow)	8	200	6	6	6	6	0	0(W)	M	Fair	Stem divides at ground level. Minor deadwood in crown.	No work required.	10+	C1	4.15
T25	Acer pseudoplatanus (Sycamore)	17	480	6	6	6	6	5	4(W)	M	Good	Minor deadwood in crown. Highway tree.	No work required.	40+	A1	5.76
T26	Acer pseudoplatanus (Sycamore)	17	680	8	8	8	8	5	4(W)	M	Good	Minor deadwood in crown. Highway tree.	No work required.	40+	A1	8.16
T27	Fraxinus excelsior (Ash)	13	550	4	4	4	4	4	3(N)	M	Fair	Tree located within neighbouring land. Diameter estimated. Plotted by eye on plan. Poor shape/form. Pollard. Dieback in crown. Presence of Chalara Dieback of Ash.	No work required.	10+	C1	6.6

Site: Land adjacent to Brown Edge Road, Buxton

Surveyed by: Hugh Williams

Date: 22/04/2024

Tree Heritage Ltd, Unit 1 Sneyd Mill, Sneyd St, Leek, Staffs, ST13 5HP

T: 01538 384019 E: info@treeheritage.co.uk

Tree Ref.	Species	Height	Stem Diameter	Branch Spread				Crown Clearance	FSB Height + Direction	Life Stage	Phys. Condition	Structural Condition	Recommendations	Estimated Remaining Contribution	Category Grading	RPA Radius
				N	S	E	W									
H1	Ligustrum ovalifolium (Privet)	2	20	1	1	1	1	0	0(E)	M	Fair	Clipped hedge. Golden Privet.	No work required.	10+	C1	0.24
H2	Crataegus monogyna (Hawthorn)	2	50	1	1	1	1	0	0(S)	M	Good	Good condition. Trimmed Hedge.	No work required.	20+	B1	0.6
H3	X Cupressocyparis leylandii Castlewellan (Leyland Cypress 'Castlewellan')	3	100	1	1	1	1	0	0(N)	M	Fair	Poorly trimmed hedge.	No work required.	10+	C1	1.2