

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T1	Weeping Willow	Middle-Mature	12	1	5	6	4	0	2.5	450	Good	Good	Minor dead wood under 50mm in diameter Low crown	40+	B2	Radius: 5.4m. Area: 92 sq m.	No action required.
T2	Weeping Willow	Middle-Mature	14	5	6	5	4	0	2	440	Good	Good	Minor dead wood under 50mm in diameter Low crown	40+	B2	Radius: 5.3m. Area: 88 sq m.	No action required.
T3	Weeping Willow	Middle-Mature	10	1	2	5	4	0	2	240	Good	Good	Dead wood under 50mm in diameter Low crown Bark wound/damage	40+	C2	Radius: 2.9m. Area: 26 sq m.	Remove dead wood over 50mm in diameter
T4	Weeping Willow	Middle-Mature	12	5	3	3	6	0	2	380	Good	Good	Minor dead wood under 50mm in diameter Low crown Hazard beam on western most stem at 8m.	40+	B2	Radius: 4.6m. Area: 66 sq m.	Remove branch with hazard beam.
T5	Weeping Willow	Middle-Mature	14	6	5	4	5	0	1.5	520	Good	Good	Minor dead wood under 50mm in diameter Low crown	40+	B2	Radius: 6.2m. Area: 121 sq m.	No action required.
T6	Goat Willow	Semi-Mature	5	3	3	3	3	0	0	150#	Good	Good	No visible/significant issues	20 - 40	C2	Radius: 1.8m. Area: 10 sq m.	No action required.
T7	Alder	Semi-Mature	9	3	3	3	3	1.5	2	140	Fair	Good	Below average crown vitality.	20 - 40	C2	Radius: 1.7m. Area: 9 sq m.	No action required.
T8	Thorn sp.	Semi-Mature	4	3	3	4	3	0	0	130	Good	Good	Possibly Sea buckthorn	10 - 20	C2	Radius: 1.6m. Area: 8 sq m.	No action required.
T9	Crack Willow	Over Mature	14	3	5	5	4	2	2.5	990	Fair	Fair	Dead bark (necrosis) Bark wound/damage Cavity in stem Pruning history - Pollarded	10 - 20	C2	Radius: 11.9m. Area: 445 sq m.	Pollard at 2.5m Alternatively, remove.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T10	Crack Willow	Over Mature	28	12	9	12	11	2	6	1090	Fair	Poor	Dead bark (necrosis) Codominant stems. Cavity at base Stem failure to westernmost stem Significant dead wood over 50mm in diameter Broken/Hanging branches: Significant branch end weight Previous branch failures: Dead/Missing bark. Wind Exposure: Full. Crown Size: Large.	10 - 20	C2	Radius: 13.1m. Area: 539 sq m.	Remove westernmost stem. Reduce remainder of crown by 11m to 2nd main fork at 12m. Remove all dead wood/hanging branches. Or remove
T11	Crack Willow	Mature	28	12	9	9	6	3	5	970	Good	Fair	Codominant stems with decay pocket within fork Significant branch end weight	20 - 40	B2	Radius: 11.6m. Area: 423 sq m.	Reduce crown in height (by 8m) and shape.
T12	Crack Willow	Over Mature	28	10	12	12	4	1	2	1120	Good	Fair	Dead bark (necrosis) Cavity in stem Dead wood over 50mm in diameter Significant branch end weight	20 - 40	B2	Radius: 13.4m. Area: 564 sq m.	Reduce crown in height (by 8m) and shape or remove.
T13	Norway Maple	Semi-Mature	5	3	2	3	3	1	1	220	Good	Good	No visible/significant issues	40+	C2	Radius: 2.6m. Area: 21 sq m.	No action required.
T14	Ornamental Cherry	Middle-Mature	5	5	5	4	4	1.5	2	410	Good	Good	Low crown	20 - 40	C2	Radius: 4.9m. Area: 75 sq m.	Crown lift over footpath (2.5m)/road (5.2m)
T15	Ornamental Cherry	Middle-Mature	5	4	4	4	4	1	1.5	350	Good	Good	Dead wood over 50mm in diameter	20 - 40	C2	Radius: 4.2m. Area: 55 sq m.	Remove dead wood over 50mm in diameter
T16	Whitebeam	Semi-Mature	6	3	3	3	3	2	2	240	Fair	Good	Minor dead wood under 50mm in diameter	20 - 40	C2	Radius: 2.9m. Area: 26 sq m.	No action required.
T17	Goat Willow	Mature	15	5	5	6	5	2.5	2	670	Fair	Fair	Multi - stem at 3m Dead wood over 50mm in diameter Codominant stems.	10 - 20	C2	Radius: 8.0m. Area: 201 sq m.	Remove dead wood over 50mm in diameter
T18	Swedish Whitebeam	Semi-Mature	7	5	2	2	4	2	2	240	Good	Good	Codominant stems. Bark wound/damage Asymmetrical Crown	20 - 40	C2	Radius: 2.9m. Area: 26 sq m.	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T19	Ornamental Cherry	Middle-Mature	7	4	5	4	4	2	2	260	Fair	Good	Dead wood over 50mm in diameter	20 - 40	C2	Radius: 3.1m. Area: 30 sq m.	Remove dead wood over 50mm in diameter
T20	Swedish Whitebeam	Semi-Mature	7	3	3	3	2	2	2	240	Good	Good	No visible/significant issues	20 - 40	C2	Radius: 2.9m. Area: 26 sq m.	No action required.
T21	London Plane	Semi-Mature	16	8	8	8	7	0	2.5	500	Good	Good	Low crown Codominant stems.	40+	B2	Radius: 6.0m. Area: 113 sq m.	Crown lift to 3 metres for pedestrian access if required.
T22	Ornamental Cherry	Middle-Mature	4	5	6	2	3	1	1.5	250	Good	Good	No visible/significant issues	20 - 40	C2	Radius: 3.0m. Area: 28 sq m.	No action required.
T23	Lombardy Poplar	Mature	25	3	3	3	3	0	3.5	810	Good	Good	No visible/significant issues	20 - 40	B2	Radius: 9.7m. Area: 296 sq m.	Reduce crown in height (by 6m) and shape.
T24	Lombardy Poplar	Mature	25	3	3	3	2	0	2	750	Good	Good	No visible/significant issues	20 - 40	B2	Radius: 9.0m. Area: 254 sq m.	Reduce crown in height (by 6m) and shape.
T25	London Plane	Semi-Mature	16	7	5	7	7	1.5	2	420	Good	Good	Low crown	40+	B2	Radius: 5.0m. Area: 79 sq m.	Crown lift over footpath (2.5m)/road (5.2m)
T26	London Plane	Semi-Mature	17	7	7	7	5	0	2	420	Good	Fair	Included bark Low crown Failed leader Pruning history - Reduced in height but not spread. Dead wood over 50mm in diameter	40+	B2	Radius: 5.0m. Area: 79 sq m.	Crown lift over footpath (2.5m)/road (5.2m) Prune to clear streetlamp Reduce crown to previous reduction points (2m in height) and shape Remove dead wood over 50mm in diameter
T27	Norway Maple	Semi-Mature	9.5	4	5	4	4	1	1.5	370	Good	Good	No visible/significant issues	40+	B2	Radius: 4.4m. Area: 61 sq m.	No action required.
T28	Pedunculate Oak	Semi-Mature	18	6	6	6	6	2	2	470	Good	Good	Dead wood over 50mm in diameter Low crown Broken/Hanging branches:	40+	B2	Radius: 5.6m. Area: 99 sq m.	Crown lift over footpath (2.5m)/road (5.2m) Remove hanging/broken branch Remove dead wood over 50mm in diameter

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T29	Pedunculate Oak	Semi-Mature	17	5	4	5	4	3	3	360	Good	Good	Dead wood over 50mm in diameter	40+	B2	Radius: 4.3m. Area: 58 sq m.	Remove dead wood over 50mm in diameter
T30	Sycamore	Middle-Mature	15	5	5	6	5	1	2	440	Good	Good	Variegated Minor dead wood under 50mm in diameter	40+	B2	Radius: 5.3m. Area: 88 sq m.	No action required.
T31	Pedunculate Oak	Middle-Mature	17	8	8	7	7	2	2.5	540	Good	Good	Dead wood over 50mm in diameter Low crown	40+	B2	Radius: 6.5m. Area: 133 sq m.	Crown lift over footpath (2.5m)/road (5.2m) Prune to clear bus stop sign Remove dead wood over 50mm in diameter
T32	Silver Birch	Middle-Mature	15	5	5	5	6	3	3	480	Good	Fair	Codominant stems. Rubbing trunk wound from cherry.	20 - 40	B2	Radius: 5.8m. Area: 106 sq m.	No action required.
T33	Wild Cherry	Semi-Mature	17	5	4	5	5	6	6	250	Good	Fair	Causing rubbing trunk wound to adjacent birch.	20 - 40	C2	Radius: 3.0m. Area: 28 sq m.	Fell to provide space for T32
T34	Italian Alder	Middle-Mature	18	5	5	5	5	1.5	3	570	Good	Good	Pruning history - Pollarded	40+	B2	Radius: 6.8m. Area: 145 sq m.	Reduce crown in height (by 5m) and shape
T35	Sweet Gum	Semi-Mature	6	2	2	2	2	2	2	100	Good	Fair	3rd party No visible/significant issues	40+	C2	Radius: 1.2m. Area: 5 sq m.	No action required.
T36	Common Laburnum	Middle-Mature	5	3	3	3	3	2	2	180	Good	Fair	3rd party No visible/significant issues	10 - 20	C2	Radius: 2.2m. Area: 15 sq m.	No action required.
T37	Common Ash	Semi-Mature	11	3	3	3	3	4	4	260	Good	Fair	No visible/significant issues	40+	C2	Radius: 3.1m. Area: 30 sq m.	No action required.
T38	Sycamore	Semi-Mature	15	5	5	5	6	2	3	450,450	Good	Fair	Unable to fully inspect. Codominant stems.	40+	C2	Radius: 7.6m. Area: 181 sq m.	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T39	Goat Willow	Mature	15	7	7	7	7	0	2	860	Good	Fair	Included bark Multi - stem	20 - 40	C2	Radius: 10.3m. Area: 333 sq m.	Reduce crown in height (by 3m) and shape Crown lift to 3 metres for pedestrian access.
T40	Goat Willow	Mature	11	7	7	6	4	0	0.5	290,240,270,240	Good	Fair	Multi - stem	20 - 40	C2	Radius: 6.3m. Area: 125 sq m.	Crown lift to 3 metres for pedestrian access.
T41	Goat Willow	Semi-Mature	9	4	4	3	4	1	0.5	330#	Good	Fair	Multi - stem	20 - 40	C2	Radius: 4.0m. Area: 50 sq m.	No action required.
T42	Lombardy Poplar	Middle-Mature	25	3	3	3	3	1	1	750#	Good	Fair	No visible/significant issues. No access to base.	20 - 40	B2	Radius: 9.0m. Area: 254 sq m.	Reduce crown in height (by 6m) and shape
T43	Silver Birch	Middle-Mature	12	5	5	2	5	1	2	350	Good	Good	Low crown	20 - 40	B2	Radius: 4.2m. Area: 55 sq m.	Crown lift to 3 metres for pedestrian access.
T44	Silver Birch	Middle-Mature	16	3	5	6	5	0	2.5	430	Good	Good	Low crown	20 - 40	B2	Radius: 5.2m. Area: 85 sq m.	Crown lift to 3 metres for pedestrian access.
T45	Horse Chestnut	Semi-Mature	3	2	2	2	2	0	1	460#	Good	Fair	3rd party. Monolithed. No visible/significant issues	40+	C2	Radius: 5.5m. Area: 95 sq m.	No action required.
T46	Common Hawthorn	Semi-Mature	5	2	2	2	2	0	0	150#	Good	Fair	No visible/significant issues	40+	C2	Radius: 1.8m. Area: 10 sq m.	No action required.
T47	Common Ash	Semi-Mature	5	1	2	1	2	0	0.5	80,70,80,90	Fair	Fair	No visible/significant issues	40+	C2	Radius: 1.9m. Area: 11 sq m.	No action required.
T48	Common Hawthorn	Middle-Mature	7	2	2	2	2	3	3	180#	Good	Fair	3rd party No visible/significant issues	40+	C2	Radius: 2.2m. Area: 15 sq m.	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T49	Wild Cherry	Semi-Mature	11	4	5	5	3	2	2.5	320#	Good	Fair	3rd party No visible/significant issues	40+	C2	Radius: 3.8m. Area: 45 sq m.	No action required.
T50	Common Beech	Middle-Mature	16	6	8	6	6	1	3	570#	Good	Good	3rd party No visible/significant issues	40+	B2	Radius: 6.8m. Area: 145 sq m.	No action required.
T51	Sycamore	Mature	17	6	6	6	6	3	2	600#	Good	Fair	3rd party No visible/significant issues	40+	B2	Radius: 7.2m. Area: 163 sq m.	No action required.
T52	Leyland Cypress	Middle-Mature	18	3	3	3	3	2	2	520#	Fair	Fair	3rd party No visible/significant issues	40+	C2	Radius: 6.2m. Area: 121 sq m.	No action required.
T53	Common Alder	Middle-Mature	15	5	3	4	4	2	1.5	470	Fair	Good	Below average crown vitality	20 - 40	C2	Radius: 5.6m. Area: 99 sq m.	No action required.
T54	Common Alder	Middle-Mature	15	5	4	3	3	2	4	420	Fair	Good	Below average crown vitality	20 - 40	C2	Radius: 5.0m. Area: 79 sq m.	No action required.
T55	Common Alder	Middle-Mature	16	4	3	2	4	2.5	2.5	280#	Fair	Fair	Below average crown vitality	20 - 40	C2	Radius: 3.4m. Area: 36 sq m.	No action required.
T56	Common Alder	Middle-Mature	16	4	4	5	3	5	5	350#	Fair	Fair	Below average crown vitality Codominant stems.	20 - 40	C2	Radius: 4.2m. Area: 55 sq m.	No action required.
T57	Common Alder	Middle-Mature	16	4	3	4	2	2	7	290	Fair	Good	Below average crown vitality	20 - 40	C2	Radius: 3.5m. Area: 38 sq m.	No action required.
T58	Common Alder	Middle-Mature	12	4	4	2	4	1	4	290	Fair	Good	Below average crown vitality Pruning history - Topped.	20 - 40	C2	Radius: 3.5m. Area: 38 sq m.	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T59	Common Alder	Middle-Mature	12	2	3	2	3	2	3	240	Fair	Good	Below average crown vitality Pruning history - Topped.	20 - 40	C2	Radius: 2.9m. Area: 26 sq m.	No action required.
T60	Common Alder	Middle-Mature	12	2	3	3	3	2	3	320	Fair	Good	Below average crown vitality Pruning history - Topped.	20 - 40	C2	Radius: 3.8m. Area: 45 sq m.	No action required.
T61	European Lime	Semi-Mature	15	3	4	3	4	1	2	270	Good	Good	No visible/significant issues	40+	B2	Radius: 3.2m. Area: 32 sq m.	No action required.
T62	Common Alder	Semi-Mature	15	3	3	3	3	3.5	3.5	270	Fair	Good	Below average crown vitality	20 - 40	C2	Radius: 3.2m. Area: 32 sq m.	No action required.
T63	European Lime	Semi-Mature	18#	5	6	6	5	2	2	380	Good	Fair	Included - co-dominant stems	40+	C2	Radius: 4.6m. Area: 66 sq m.	Cable brace (Install Flexible)
T64	Common Ash	Semi-Mature	15	4	5	5	3	4	4	270,270	Fair	Good	Included - co-dominant stems	40+	C2	Radius: 4.6m. Area: 66 sq m.	Cable brace (Install Flexible)
T65	Common Ash	Semi-Mature	15	5	5	3	5	2	2	340	Good	Good	No visible/significant issues	40+	B2	Radius: 4.1m. Area: 53 sq m.	No action required.
T66	Common Ash	Semi-Mature	11	5	5	1	4	1	2.5	220,210	Fair	Fair	Included - co-dominant stems Bacterial Canker of Ash (Pseudomonas syringae spp)	20 - 40	U	No RPA due to Retention Category of U.	Fell to ground level
T67	Common Ash	Semi-Mature	9	3	3	4	4	0	0	370,120,100,140,90	Fair	Fair	Multi - stem	40+	C2	Radius: 5.2m. Area: 85 sq m.	No action required.
T68	Common Ash	Semi-Mature	9	2	2	2	2	0.5	1	90,80,80,100,100,70	Fair	Fair	Multi - stem Minor dead wood under 50mm in diameter	40+	C2	Radius: 2.6m. Area: 21 sq m.	Remove dead wood

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
T69	Common Ash	Semi-Mature	14	5	5	5	5	1.5	2	440	Fair	Good	Minor dead wood under 50mm in diameter Ash Die Back under 25%	20 - 40	C2	Radius: 5.3m. Area: 88 sq m.	No action required.
T70	Common Ash	Semi-Mature	9	4	4	4	4	1	2	370	Fair	Fair	Bacterial Canker of Ash (<i>Pseudomonas syringae</i> spp)	40+	C2	Radius: 4.4m. Area: 61 sq m.	No action required.
T71	Common Hawthorn	Middle-Mature	6	2	2	2	2	2	2	140,120,100	Fair	Fair	3rd party No visible/significant issues	40+	C2	Radius: 2.5m. Area: 20 sq m.	No action required.
T72	Ornamental Cherry	Semi-Mature	7	4	3	3	3	2	2	250#	Fair	Fair	3rd party No visible/significant issues	20 - 40	C2	Radius: 3.0m. Area: 28 sq m.	No action required.
T73	Ornamental Cherry	Semi-Mature	8	4	3	3	2	1	1	100,90,80,70	Fair	Fair	No visible/significant issues	40+	C2	Radius: 2.1m. Area: 14 sq m.	No action required.
T74	Norway Maple	Semi-Mature	8	2	2	2	2	2	2	150#	Good	Fair	3rd party Crimson king No visible/significant issues	40+	C2	Radius: 1.8m. Area: 10 sq m.	No action required.
T75	Himalayan Birch	Semi-Mature	8	3	3	3	3	1	2	250#	Good	Fair	3rd party No visible/significant issues	20 - 40	C2	Radius: 3.0m. Area: 28 sq m.	No action required.
T76	Common Hawthorn	Middle-Mature	8	4	3	4	4	1	2	250	Fair	Fair	3rd party Stem and crown covered in ivy	20 - 40	C2	Radius: 3.0m. Area: 28 sq m.	No action required.
T77	Ornamental Cherry	Middle-Mature	8	5	5	5	5	1	3	300	Fair	Fair	3rd party No visible/significant issues	20 - 40	C2	Radius: 3.6m. Area: 41 sq m.	No action required.
T78	Lawson Cypress	Middle-Mature	8	4	4	4	4	0	2	350#	Fair	Fair	3rd party No visible/significant issues Pruning history - Reduced.	40+	C2	Radius: 4.2m. Area: 55 sq m.	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
GROUPS																	
G1	Cypress species x17	Mature	8	1	1	1	1	0	0	350	Poor	Good	Ellwoodii. Mostly in poor condition	-10	U	No RPA due to Retention Category of U.	Fell to ground level (Directional fell) Grind stump by up to 250mm below ground level
G2	Mixed species x12	Semi-Mature	15	5	5	5	5	2	2	350	Fair	Fair	3rd party. Cherry. Ash. Sycamore. Lawson cypress. No access. No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
G3	Sycamore x2	Semi-Mature	8	5	5	5	5	1	2	500	Good	Fair	3rd party Pruning history - Pollarded	40+	C2	1m beyond canopy spread	No action required.
G4	Mixed species x8	Semi-Mature	7	2	2	2	2	1	2	130	Good	Fair	Cherry. Ash. X 1 cherry has been felled to 1.5m stump	40+	C2	1m beyond canopy spread	No action required.
G5	Mixed species x7	Semi-Mature	14	4	4	4	4	1	2	270#	Good	Fair	3rd party. Ash. Sycamore. Oak. No access. No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
G6	Mixed species x4	Semi-Mature	6	2	2	2	2	1	1	160#	Good	Fair	Cherry. Goat willow. No access. Pruning history - Topped.	20 - 40	C2	1m beyond canopy spread	No action required.
G7	Sycamore x2	Middle-Mature	15	5	5	5	5	0	1	460#	Good	Fair	3rd party. No access No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
G8	Mixed species x11	Semi-Mature	7	2	2	2	2	1	1	130	Fair	Fair	Understory including Ash. Alder. Rowan. No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
G9	Ornamental Cherry x2	Semi-Mature	8	3	3	3	3	2	2.5	280	Fair	Fair	3rd party No visible/significant issues	20 - 40	C2	1m beyond canopy spread	No action required.

**Talbot Road, Glossop
Tree Survey Schedule**

Ref.	Common Name	Life Stage	Height (m)	North	East	South	West	Crown Clearance (m)	Lowest Branch (m)	Stem diameter(s) (mm)	Physiological Condition	Structural Condition	Comments	Estimated Remaining Contribution	Quality Category	RPA	Recommendations
HEDGES																	
H1	Leyland Cypress	Semi-Mature	4	1	1	1	1	0	0	130	Good	Good	3rd party No visible/significant issues	20 - 40	C2	1m beyond canopy spread	No action required.
H2	Mixed species	Semi-Mature	4	1	2	2	2	0	0	70	Good	Good	Hawthorn and self set sycamore No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
H3	Mixed species	Semi-Mature	4	1	1	2	1	0	0	70	Good	Good	Mostly hawthorn with self set sycamore No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
H4	Mixed species x20	Semi-Mature	5	1	1	2	1	0	0	70	Good	Good	Hawthorn and self set sycamore. No visible/significant issues	40+	C2	1m beyond canopy spread	No action required.
H5	Mixed species	Semi-Mature	4	1	1	2	1	0	0	70	Good	Good	Hawthorn and self set sycamore	40+	C2	1m beyond canopy spread	No action required.
H6	Cypress	Semi-Mature	3	1	1	1	1	1	1	120	Fair	Fair	3rd party No visible/significant issues	20 - 40	C2	1m beyond canopy spread	No action required.