

Excavation Method

Hand excavated trial pit to 1.00mbgl.

Dimensions

0.30m x 0.30m x 1.00m

Ground Level (mOD)
Client

Detail Homes Ltd

**Job
Number**
LKC 23 1129



Location
Dates

02/06/2023

Engineer

LKC

Sheet
1/1

Depth (m)	Sample / Tests	Water Depth (m)	Field Records	Level (mOD)	Depth (m) (Thickness)	Description	Legend	Water
0.00-0.40	ES PID = 0.1ppm				(0.40)	MADE GROUND: Dark greyish brown gravelly SAND with frequent brick fragments, occasional brick cobbles, concrete fragments, ash and clinker. Sand is fine to coarse. Gravel is fine to coarse, angular to subrounded, comprising sandstone and mudstone.		
0.50-1.00 0.60	ES PID < 0.1ppm SV 38kPa				0.40 (0.60)	Soft to firm consistency light greyish brown gravelly sandy silty CLAY with occasional rootlets. Sand is fine to coarse. Gravel is fine to medium, subangular to subrounded, comprising sandstone and mudstone.		
					1.00	Complete at 1.00m		


Remarks

Hand excavated trial pit dry and stable.

Scale (approx)

1:25

Logged By

CK

Figure No.

LKC 23 1129.HD101