




EXISTING FRONT ELEVATION
1:100




EXISTING REAR ELEVATION
1:100



PROPOSED FRONT ELEVATION
1:100



PROPOSED REAR ELEVATION
1:100



NEW FIRST FLOOR WINDOW 'W04' SERVING NEW EN-SUITE
1:20

REVISION

date	revision description	init	rev
------	----------------------	------	-----

Egress Windows

All egress windows to provide an opening for
means of escape with the following minimum
requirements:

- Width and height - either of these are not
to be any less than 450mm
- Clear openable area - no less than
0.33m²
- Cill height - the bottom of the openable
area should be no more than 1100mm
above the floor area.

See Approved Document B Vol 1, for further
details.

General Notes

The purpose of these drawings is for design
development, cost estimating and ultimately
for consideration by the local authority
planning department only. Drawings are not
to be used for planning applications, building
control review, building regulations,
construction, fabrication or any other work on
site.

PROJECT:

17 BACK LANE, CHARLESWORTH

CLIENT:

MR. D. THOMPSON

DRAWING TITLE:

EXISTING & PROPOSED ELEVATIONS
[PLANNING ISSUE]

DRAWING No:

2512 PL 200

SCALE:

SEE NOTES @ A3

DATE:

02.02.2025

DRAWN BY:

JE

CHECKED BY:

-

Edmondson Design Limited

Architectural Design and Planning Services

W: edmondsondesign.co.uk

T: 07881957321

E: john@edmondsondeign.co.uk