

DO NOT SCALE EXCEPT FOR PLANNING AND BUILDING REGULATION PURPOSES

GENERAL NOTES

LIGHTING :-
ALL LIGHTING TO BE POSITIONED TO AVOID DIRECT GLARE ON THE EYES OF THE USER AND UNWANTED REFLECTIONS FROM THE SCREEN OR OPERATING FEATURES. GLARE FROM LIGHTING TO BE AVOIDED.
SIGNAGE :-
ALL SIGNAGE TO CONFORM TO BS 8300:2001 SECTIONS 9.2.2 LOCATION & DESIGN OF SIGNS & INFORMATION AND 9.2.3 VISUAL SIGNS.
ALL NEW GLAZING CONFORMS TO BS 6206.
ALL ELECTRICAL WORK CONFORMS TO BS 7671.
IT IS ASSUMED THAT ALL PRELIMINARY WORKS CARRIED OUT / CONTRACTED BY THE SITE OWNER (SHOULD THEY BE REQUIRED BY THE PROJECT) ARE COMPLETED IN ACCORDANCE WITH CURRENT BUILDING REGULATIONS 2010 AND AMENDMENTS THEREAFTER


SITE NOTES

FLOOR CONSTRUCTION: CERAMIC TILE ON CONCRETE
TITW INSTALL
REMOVE EXISTING LARGE GLAZING PANEL.
CUT DOWN INTERNAL SHUTTER - NEW GUIDE, ANGLE, INFILL AND BOX SECTION REQUIRED
INSTALL: NEW SILICONE JOINTED GLAZING PANELS, GLAZING COLLAR, 2 PART SECURITY GRILLE, PLINTH, BOX IN PLINTH, ATM, ELECTRICS AND NON-ILLUMINATED SIGNAGE MAKE GOOD INTERNAL APERTURE WITH WHITE PLASTIC TRIM


NOTE:
- NO ASBESTOS REG. NCR A TO ARRANGE ASBESTOS SURVEY REQUIRED PRIOR TO FURTHER SURVEYS AND INVASIVE WORKS COMMENCING
- ALL PROPOSED ATM INSTALL WORKS MUST ALLOW FOR FULL ATM SERVICE CLEARANCE INC. FULL RACK OUT OF REAR DISPENSERS
- NO ATM ENCLOSURE INSTALLED AS STATED BY CASH ZONE
- NON-STANDARD KEY NO. 5 DIMENSION
- CASH ZONE REQUESTED ILLUMINATED SIGNAGE / CONSERVATION AREAS / NON-ILLUMINATED
- FOR ATM ELECTRICS / SEE ELECTRICAL SURVEY
- CASH ZONE REQUESTED SILICONE JOINTED GLAZING / 2 PART SECURITY GRILLE REQUIRED / FIXED TO NEW BOX SECTION
- INTERNAL SHUTTER BOX LOCATED 390MM BEHIND FRAME / NEW BOX SECTION FIXED TO DOOR FRAME
- ATM POSITIONED AS FAR TO RHHS AS POSSIBLE / IMPEDED BY DISPLAY UNIT
- PARKING RESTRICTIONS APPLY / FREE ON STREET PARKING AVAILABLE 30M TO THE LEFT, MAXIMUM STAY 40 MINUTES, ALTERNATIVE CHARGEABLE PARKING AVAILABLE 50M TO THE REAR OF THE SHOP / PARKING TICKETS LIKELY

WORK TO BE CARRIED OUT BY SITE


PROVIDE FULL ACCESS FOR ASBESTOS, ELECTRICAL, SHUTTER AND GLAZING SURVEYS
RELOCATE LOOSE STOCK STORED IN ATM INSTALL LOCATION
REMOVE LOOSE LIGHTING TO TOP OF GLASS FRAME




EXISTING (PART) PLAN




EXISTING ELEVATION




EXISTING SECTION VIEW A-A



PROPOSED (PART) PLAN



PROPOSED ELEVATION



SECTION VIEW A-A

SITE ADDRESS FONEX GLOSSOP, 6 HIGH STREET, GLOSSOP, SK13 8BH	TITLE PROPOSED AUTOMATED TELLER MACHINE (ATM) INSTALLATION FOR CASHZONE	
	DRAWN AG	DATE 07/11/2025
	REF/REQ NO. E030172	SHEET VARIOUS @A3
	REVISION	REVISION

drawing approval	NAME:-	
	POSITION:-	
	APPROVED:-	
	SIGNED:-	



NCR ATLEOS