




Ground Floor Plan




Roof Plan



FLOOR PLAN LEGEND	
CW	Effective clear width dimension.
EQ	Equal dimension.
MJ	Movement joint.
CL	Centre line.
FFL	Finished floor level (top of screed).
TOC	Top of concrete level.
FE	Denotes final exit door providing a minimum 850mm effective clear width opening though a single leaf.
PE	Denotes principle entrance doors in accordance with part M to be fitted an with automatic opening function, linked to a push pad located either side of doors. Doors are to provide a minimum 1000mm effective clear width opening through a single leaf. To be fitted in conjunction with appointed mechanical engineers specification and details.
FW	Frosted Windows
SVP	Sewage and vent pipe.
SS	Stub stack with air admittance valve (AAV) / durgo.
B.I.G	Back inlet gully.
RWP	Rainwater pipe and gully.
R.E	Rodding eye.
I.C	Inspection chamber
M.H	Manhole.
G	Floor mounted gully.
SFG	Surface floor gully.
DC	Direct connection to below ground drainage.
FHW	Full height windows
RL	Denotes Roof light
- - - -	Denotes demolished walls
- - - -	Denotes Steel above

P2	Minor Alterations	11-03-26	TH	TH
P1	First Issue	13-02-26	TH	TH
Rev.	Description	Date	By	Chk'd



HAWKSTONE
DEVELOPMENTS

The Lawns , 41 Moor Lane , Kirk Langley , Ashbourne , Derbyshire , DE6 4LQ
Tel: 07592 290996 . Info@hawkstone-developments.co.uk .
www.Hawkstone-developments.co.uk

New Dwelling

Land off Batemill Rd, New Mills, SK22 4EW

Floor Plans as Proposed

HD PROJECT REF		SCALES		PAPER SIZE		DRAWN BY	
0085		1:100		A3		TH	
PROJECT	ORIGINATOR	ZONE	LEVEL	TYPE	ROLE	NUMBER	
BR	HD	Z1	ZZ	DR	A	02002	
STATUS	SUITABILITY DESCRIPTION						
S0	WORK IN PROGRESS						
REVISION	REVISION DESCRIPTION						
P2	PRELIMINARY						

Hawkstone Developments holds the copyright to this document. The drawings produced by Hawkstone Developments are intended for design purposes only. Under no circumstance should these drawings be used for construction. These drawings are not to be used for construction guidance or any other purpose. Scaling for measurements is not permitted; instead, verify dimensions prior to construction. Any discrepancies should be immediately reported to the Designer. Please read this document alongside associated models, specifications, and related consultant's documents for a comprehensive understanding. Your adherence to these guidelines ensures a successful project.