




New patio door/ window to Dining - existing opening




New access door to Hall - existing opening




New Door to Lounge - existing opening




*New extended Window to
Lounge
tilt and turn*




*New extended Window to
Lounge
tilt and turn*





*New Window to Kitchen
tilt and turn*



*New Window to Dining
fixed*



*New window to Hall
fixed*



*New Window to Bathroom
tilt and turn*



*New Window to Bedroom 1
tilt and turn*



*New Window to Bedroom 2 - existing opening
tilt and turn*

RL-01

RL-02

RL-03

790x1180 VELUX MK06
1no. GGU 0170 (centre pivot) New rooflight installed in new roof construction over Bedroom 1, Bedroom 2 and upper hall. Laminated inner, toughened outer pane. Clear and Clean coating. Include for complete installation product package BBX MK06 0000 & appropriate Velux recessed flashing kit EDJ MK06 2000 Include for Velux roller blind RFL (P10) (colour TBC) with white side channels(WL)
NOTE: Rooflights to be White Polyurethane finish with appropriate flashing kit to suit roof finish and to Manufacturers recommendation. Rooflight setting out as dwg. Contractor to site measure and verify opening dimensions on site prior to manufacture of any item. All windows to achieve a min. U-value of 1.3w/mk2

rev. description | _____

Mr S Pearson

Hollin Wood Barn
Brierley Green
Buxworth SK23 7NL

Proposed Window and external door schedule

drawing title |

drawing number SW315- 500

revision | -

drawing status | PLANNING

scale | 1:50 @A3

date | JUNE 26

drawn by | CW

checked by JS

