



## Protective fencing on a scaffolding framework

### Tree Protection to BS 5837

The position of the protective fence is indicated on Drg No. 09.01.04B and is to be agreed by the Planning Officer. Prior to the commencement of any work whatsoever, or any materials being brought on site, existing trees to be retained are to be protected from damage by a vertical and horizontal framework of scaffolding, well braced to resist impacts, supporting a continuous chain link fencing. This shall be maintained in a good and effective condition until the work is completed.

The protective fencing is to be maintained in the exact position indicated on the approved plan.

The following measures are particularly important:

- Materials are never to be stacked within the root spread of the tree.
- No oil, tar, bitumen, cement or other material is to be allowed to contaminate the ground within the root spread of the tree.
- No fires shall be lit beneath or in close proximity to the tree canopy.
- Trees to be retained should not be used as anchorages for equipment or for removing stumps, roots or other trees, or for other purposes.
- No notices, telephone cables or other services should be attached to any part of the trees.
- Cement mixing should not be carried out within the canopy/protected area of the tree.
- Soil levels are to be maintained as existing within the root spread of the tree. Any alteration to soil levels in an area of the tree canopy must be agreed with the landscape architect and the Planning Officer.

If excavations find root system greater than 25mm in diameter, the Council's Planning Officer must be told immediately. Hand excavation should then be used to avoid damage. Roots requiring hand excavation should be surrounded with sharp sand before replacing with soil. Cement should not be placed within the vicinity of roots.

Stumps and felled trees should be removed by the contractor. Fires should not be lit in a position where the flames could extend to within 5 metres of foliage, branches or trunks.

Designworks

169 Boythorpe Road  
Chesterfield  
S40 2NB

Drawing No: 09-001-05

Scale: 1 : 50

PROPOSED EXTENSION  
NEWLYN, CROSSINGS ROAD  
CHAPEL-EN-LE-FRITH

FOR DR. STEVE PETERS